



ANNUAL FULL COUNCIL MEETING

Minutes of the Annual Full Council Meeting of Newhaven Town Council
held at Meeching Hall, 2 Fort Road, Newhaven
on **Tuesday 13th May 2025, at 7.15pm**

PRESENT: Councillors: Pinky McLean-Knight (Chair & Town Mayor)
Kim Bishop (Vice Chair)
Lesley Boniface (Chair of Environment & Amenities)
Mark Wardle (Chair of Promotion Partnership & Finance)
Shaun Boniface (Chair of Strategy & Regeneration)
Steve Saunders
Jessa Chapman
Jan Woodling
Julie Carr
James Harrison
Corina Watts
Jo Pettitt

ALSO ATTENDING: Ken Dry, Town Clerk
Stephen Honey, Executive Officer
Alison Campbell, RFO
X4 Members of the Public

C001/25 The Chair opened the meeting and stated that the meeting was being recorded and that the recording would be made publicly available on the Newhaven Town Council website for 28 days followed by its removal and deletion.

C002/25 **TO ELECT THE TOWN MAYOR FOR THE ENSUING YEAR AND TO RECEIVE THEIR DECLARATION OF ACCEPTANCE OF OFFICE.**

Cllr. L. Boniface,

NOMINATED Cllr. Bishop for the role of Town Mayor, which was

SECONDED by Cllr. Saunders, and following a unanimous vote,

Cllr. Bishop was **ELECTED** as Town Mayor and Chair of Newhaven Town Council for the ensuing year. Cllr. Bishop made her declaration of acceptance of office to the meeting, and was invested with the Mayoral Chain by Cllr. McLean-Knight.

Cllr. McLean-Knight was then presented with a Past Mayors Jewel by Cllr. Bishop who then took the Chair of the meeting.

C003/25 **TO ELECT THE DEPUTY TOWN MAYOR FOR THE ENSUING YEAR AND TO RECEIVE THEIR DECLARATION OF ACCEPTANCE OF OFFICE.**

Cllr. S. Boniface,

NOMINATED Cllr. Wardle for the role of Deputy Town Mayor, which was

SECONDED by Cllr. Woodling, and following a unanimous vote,

Cllr. Wardle was **ELECTED** as Deputy Town Mayor and Deputy Chair of Newhaven Town Council for the ensuing year. Cllr. Wardle made his declaration of acceptance of office to the meeting, and was invested with the Deputy Mayoral Chain by Cllr. Bishop.

19:27Hrs Cllr. Watts joins the meeting.

C004/25 APOLOGIES FOR ABSENCE

Cllrs, Macleod, Taylor & Cook

Absent: Cllrs. Amy & Thomas.

C005/25 DECLARATIONS OF INTEREST - DISCLOSURE BY COUNCILLORS OF PERSONAL INTERESTS IN MATTERS ON THE AGENDA, AND WHETHER THE COUNCILLOR REGARDS THEIR INTEREST AS PREJUDICIAL UNDER THE TERMS OF THE CODE OF CONDUCT.

No declarations made.

C006/25 TO CONSIDER WHETHER THE MINUTES OF THE FULL COUNCIL HELD ON TUESDAY APRIL 8TH 2025 ARE AN ACCURATE RECORD OF THE MEETING.

RESOLVED:

That these minutes be signed by the Chair as a true record of the proceedings.

C007/25 PETITIONS AND PUBLIC QUESTIONS.

None received.

C008/25 TO MEET AND RECEIVE INTRODUCTIONS FROM CANDIDATES FOR THE ROLE OF CO-OPTED TOWN COUNCILLOR IN RESPECT OF THE CASUAL VACANCY CREATED THROUGH THE RESIGNATION OF CLLR. CHRISTOPH VON KURTHY. (5 MINS MAX PER CANDIDATE).

Candidates: -
a) Mr. Michael Young
b) Mr. Paul Boswell, and
c) Mr. Tai Ray-Jones

Mr. Paul Boswell was absent from this meeting and had not previously informed the Town Clerk of his attendance or otherwise.

Both Mr. Young and Ray-Jones introduced themselves individually to the council and provided a brief resume of their respective circumstances.

The Chair and councillors thanked them both for their attendance and introductions and indicated that they were welcome to stay for the remainder of the meeting until the 'confidential' section.

C009/25 TO AGREE THE TERMS OF REFERENCE FOR THE COUNCIL'S COMMITTEES – REPORT BY THE TOWN CLERK.

The Town Clerk summarised his report. Cllr. L. Boniface then

PROPOSED that the reviewed Committee Terms of Reference be adopted, which was **SECONDED** by Cllr. McLean-Knight. Following a unanimous vote it was, **RESOLVED** that the council adopt the amended Committee Terms of Reference.

C010/25 TO AGREE THE TERMS OF REFERENCE FOR THE COUNCIL'S COMMITTEES – REPORT BY THE TOWN CLERK.

Following discussion, the membership of the councils' committees was agreed by general consensus and on the basis that the Town Clerk would circulate Table 1 to all Councillors seeking the agreement or otherwise from those councillors not present at this meeting.

2025-26	Member	Member	Member	Member	Member	Member	Member
Environment & Amenities	Cllr. L. Boniface	Cllr. K. Bishop	Cllr. K. Taylor	Cllr. G. Amy	Cllr. L. Macleod	Cllr. Jo Pettitt	Cllr. J. Woodling
Promotion Partnership & Finance	Cllr. M. Wardle	Cllr. S. Boniface	Cllr. J. Carr	Cllr. J. Chapman	Cllr. J. Harrison	Cllr. S. Saunders	Cllr. L. Macleod
Strategy & Regeneration	Cllr. S. Boniface	Cllr. M. Wardle	Cllr. L. Boniface	Cllr. K. Taylor	Cllr. K. Bishop	Cllr. J. Harrison	Cllr. J. Woodling
Audit	Cllr. Watts	Cllr. McLean Knight.	Cllr. G. Amy	Cllr. J. Chapman	Cllr. L. Thomas		
Personnel	Cllr. L. Macleod	Cllr. S. Saunders	Cllr. C. Watts	Cllr. J. Carr	Cllr. S. Boniface	Cllr. Jo Pettitt	Cllr. L. Thomas
Planning & Development	Cllr. McLean-Knight	Cllr. S. Saunders	Cllr. K. Taylor	Cllr. L. Boniface	Cllr. K. Bishop	Cllr. G. Amy	Cllr. J. Chapman

Table 1.

C011/25 TO APPOINT COUNCILLORS TO SERVE AS REPRESENTATIVES OF THE TOWN COUNCIL ON THE FOLLOWING BODIES:

- Access in Seaford and Newhaven Committee
- Lewes District Citizens Advice
- South East Community Rail Partnership
- CTLA
- East Sussex Association of Local Councils (x2)
- Egrets Way Committee
- Friends of Riverside Park
- Lewes District Association of Local Councils (x2)
- Newhaven Chamber of Commerce
- Parishes of the Lower Ouse (POLO)
- Newhaven Historical Society
- West Quay Day Centre (formerly Age Concern)

Following discussion, the representatives were agreed by general consensus as at Table 2.

2025-26	2025-26
External Bodies	
Access in Seaford & Newhaven Committee	Cllr Chapman
West Quay Day Centre (formerly Age Concern)	Cllr. Bishop
Lewes District Citizens Advice	Cllr. Woodling
South East Community Rail Partnership	Vacant
CTLA	Cllr. Saunders & McLean-Knight
East Sussex Association of Local Councils	Cllr. J. Carr
plus 1	Vacant
Egrets Way Committee	Cllr. L. Boniface
Friends of Riverside Park	Cllr. Jo. Pettitt
Joint Action Group	Cllr. K. Bishop
Lewes District Association of Local Councils	Vacant
Newhaven Chamber of Commerce	Rota
Parishes of the Lower Ouse	Cllr. Harrison
Newhaven Historical Society	Cllr. Harrison
Hillcrest Centre	Cllr. Woodling

Table 2.

C012/25 TO AGREE THE MEETING SCHEDULE FOR THE FORTHCOMING CIVIC YEAR.

Cllr. L. Boniface suggested that the Annual Full Council on May 5th 2026 be swapped with the Town Meeting scheduled for May 19th 2026 in order to provide the new Mayor/Chair the opportunity of presiding at the Town Meeting prior to her tenure as Mayor.

The Town Clerk confirmed that there was no problem with this and that the necessary amendment would be made.

It was then unanimously,

RESOLVED that the schedule be adopted with this alteration.

C013/25 TO ADOPT THE GOVERNANCE AND MANAGEMENT RISK REGISTER PREPARED BY THE TOWN CLERK.

The Town Clerk summarised the purpose of the Governance & Management Risk Register, and following discussion, it was,

RESOLVED unanimously to note the councils' position as satisfactory in this regard.

C014/25 TO AGREE THE ANNUAL INSURANCE PREMIUM FOR THE TOWN COUNCIL.

The Town Clerk informed the meeting that overall, the insurance premium had decreased slightly. The RFO then clarified that the insurance premium for the NTC Electric Van has been budgeted for under a separate heading, and that the budget provided for the general insurance had not been overspent regardless of the council having to pay Insurance Premium Tax.

It was then, unanimously,

RESOLVED that the council instructs the Town Clerk to accept the renewal quotation of £19,388.78 for the insurance year 00:01 June 1st 2025 until May 31st 2026.

C015/25 TO AGREE THE PAYMENT OF THE FOLLOWING ANNUAL SUBSCRIPTIONS – REPORT BY THE TOWN CLERK.

Sussex Associations of Local Councils (includes National Association of Local Councils)
Lewes District Association of Local and Parish Councils
Newhaven Chamber of Commerce
Institute of Cemetery & Crematorium Management
Society of Local Council Clerks

The Town Clerk summarised his report and explained the differing subscriptions and their purpose/benefits.

Following discussion, it was unanimously,

RESOLVED that these subscriptions be maintained until the next review and Annual Full Council meeting.

C016/25 TO CONFIRM THAT AN EFFECTIVE SYSTEM OF INTERNAL AUDIT IS IN PLACE.

- a) Internal Audit – Final Update Report
- b) Internal Auditor – AGAR Certificate 2024-25

The Town Clerk informed the meeting, that due to the hard work and diligence of the RFO, the Final Internal Audit Report was without recommendation/qualification and had enabled the Internal Auditor to complete and certify the AGAR Certificate for 2024/25.

The Chair, on behalf of the council, thanked the RFO for her hard work and dedication in achieving this, and this was echoed by the councillors there present.

It was then unanimously,

RESOLVED, that the council was satisfied that an effective system of internal audit is in place.

C017/25 TO CONSIDER AND CONFIRM THE APPOINTMENT OF AN EXTERNAL COMPANY AS THE TOWN COUNCIL'S INTERNAL AUDITOR FOR 2025-26 – REPORT BY THE TOWN CLERK.

The Town Clerk summarised his report, and following discussion, it was

PROPOSED by Cllr. S. Boniface that Mulberry & Co. be appointed to provide Internal Audit services at a cost of **£409**.

SECONDED by Cllr. Saunders, and following a unanimous vote, it was,

RESOLVED that Mulberry & Co. be appointed to provide Internal Audit services at a cost of **£409**.

C018/25 TO APPROVE SECTIONS 1 AND 2 OF THE ANNUAL RETURN FOR THE YEAR ENDED 31ST MARCH 2025 AND THE UNAUDITED ACCOUNTS.

Following discussion, it was,

RESOLVED unanimously that these documents be approved.

C019/25 TO REVIEW AND ADOPT THE FOLLOWING DOCUMENTS:

Financial Regulations.
Standing Orders.
Reserves Policy.

The Town Clerk summarised his report indicating that the primary driver behind NALC revising its model Financial Regulations and Standing Orders was the introduction of legislative regulation following 'Brexit'.

Following a number of clarifications and discussions, Cllr Saunders,

PROPOSED that these reviewed documents be adopted, which was,

SECONDED by Cllr. S. Boniface Following a unanimous vote, it was,

RESOLVED that these three reviewed documents be adopted.

C020/25 TO APPROVE AND ADOPT THE NEWHAVEN TOWN COUNCIL BUSINESS PLAN 2025-2030.

The Town Clerk informed the meeting that since April 8th 2025 the draft had been publicly available with invited commentary from Newhaven residents. However, no commentary had been received.

Cllr. Saunders informed the meeting that he felt that the description of the Town in the last paragraph of page 1 of the Business Plan was inaccurate, in that the vast majority of the key companies in the Town do have specific linkages to its function as a Port e.g. F.M. Conway and Brett Aggregates. This was supported by Cllr. S. Boniface.

The Town Clerk indicated that he was happy to rewrite this paragraphs to reflect this.

Following discussion, it was unanimously,

RESOLVED to adopt this Business Plan, with the aforementioned amendment by the Town Clerk, with progress on objectives and actions being reported to each Annual Full Council thereafter.

C021/25 **EXCLUSION OF PRESS AND PUBLIC - TO RESOLVE THAT THE PRESS AND PUBLIC BE EXCLUDED FROM THE REMAINDER OF THE MEETING IN ACCORDANCE WITH THE PROVISIONS OF SECTION 1(2) OF THE PUBLIC BODIES (ADMISSION TO MEETINGS) ACT, 1960, IN VIEW OF THE CONFIDENTIAL NATURE OF THE MATTERS TO BE DISCUSSED.**

RESOLVED.

C022/25 **CONFIDENTIAL - TO DISCUSS AND VOTE FOR ONE OF THE CANDIDATES FOR CO-OPTION AS A TOWN COUNCILLOR. (PREVIOUS AGENDA ITEM 7.)**

Following discussion, it was,

PROPOSED by Cllr. L. Boniface that Mr. Michael Young be co-opted to the Town Council as a Councillor for Central Ward, this was

SECONDED by Cllr. Chapman.

It was then,

PROPOSED by Cllr. McLean-Knight that Mr. Tai Ray-Jones be co-opted to the Town Council as a Councillor for Central Ward, this was

SECONDED by Cllr. Woodling.

A vote by hands was taken, resulting in

8 votes in favour of Mr. Michael Young, and

3 votes in favour of Mr. Tai Ray-Jones.

As a result, it was therefore **RESEOLVED** that Mr. Michael Young be co-opted to Newhaven Town Council. As the council considered that both candidates were appointable, but there being only one casual vacancy, the Chair requested that the Town Clerk inform Mr. Ray-Jones accordingly.

RESOLVED, that Mr. Michael Young be co-opted to the Town Council as a Councillor for Central Ward.

There being no further business, the Meeting closed at 8:39pm.

Date:

Town Mayor



NEWHAVEN TOWN COUNCIL

Stephen Honey
Executive Officer

TOWN COUNCIL OFFICES
18 FORT ROAD
NEWHAVEN
EAST SUSSEX
BN9 9QE

Tel: (01273) 516100
Email: admin@newhaventowncouncil.gov.uk

To: Full Council **Agenda Item 5.**

Date: 20th May 2025

Report Contact: Executive Officer

Subject: **Eastside Park - Playground.**

1. The purpose of this report is to request the council's consideration and appointment of a Playground Equipment provider and installer to renovate/replace a redesigned playground at Eastside Park.

Background

2. The Executive Officer, Cllr Taylor & the Communications and Events Officer produced, distributed and analysed an initial survey to identify the local resident's needs (see summary of results attached as Appendix A).
3. This was then followed up by three on-site meetings with representatives of three playground companies: HAG's, Playsafe Playgrounds and Playdale Playgrounds to seek their ideas, resulting in three design quotations for renovating the layout and play equipment on site.
4. Design quotations for each company can be seen attached as follows,
 - HAGs (Appendix B)
 - Playsafe Playgrounds (Appendix C)
 - Playdale (Appendix D)

Analysis

5. Each design quotation was then evaluated by the Executive Officer from the information provided by each company based on a weighted scoring system as shown at Table 1 below to assist Councillors in making a decision (however, please bear in mind that at least half of the scoring is the subjective point of view of the Executive Officer).

Criteria	Weighting	HAGS	Playsafe	Playdale	Max Score
Overall Appearance/Layout	20	60	80	80	100
Quantity of Play Items	15	75	60	52.5	75
Interpretation of requirements	15	75	75	60	75
Creativity	10	40	40	30	50
Progressive challenges	10	40	30	30	50
Natural Integration	10	10	30	10	50
Inclusivity	5	10	10	5	25
Warranty Provision	5	0	20	25	25
Cost	10	40	41.5	50	50
Total Score	100	350	386.5	342.5	500

Table 1

6. As can be seen from the table above, Playsafe is the “winner,” however it should be noted that:

- HAGS have considerably more individual pieces of equipment than the two other quotes but is also the most expensive by some considerable margin.
- Playsafe Playgrounds have incorporated a MUGA that neither of the other two quotes have and if we removed that it would then become the least costly quote.
- Playdale have the best guarantees (12 months plus best suppliers guarantees thereafter), whereas HAGS warranties for 12 months, thereafter, if they believe a fault “...falls into a warranty category which [HAGS] decides to honour” they will replace it plus labour charges. Playsafe manufacture the equipment themselves and give 12 months Installation guarantees followed by good guarantees on all items. ¹
- Playdale do not appear to have thought about inclusivity as much as the other two quotes, but this was very low on the list of “wants” established from the survey.

Finance

7. At the time of writing this report, the Town Clerk has been informed that there is no CIL funding available, nor any confirmation of an underspend across the Re-Imagining Newhaven Programme that we could utilise (there is a faint possibility of some funding, but this is by no means certain). Therefore, we are assuming that the cost will be met from the £140,000 earmarked reserves.

8. Recommendation

That the council informs the Executive Officer as to which company it wishes to commission for this work and initiate the same.

¹ The three quotes seem to use Guarantees & Warranties interchangeably whereas:

A guarantee is an assurance about the quality or durability of a product

A warranty is a formal assurance that the seller will repair or replace a defective product



We posted a survey online and a drop-in meeting for local residents and the results showed:

- 75% were either dissatisfied or very dissatisfied with the current state of the play area
- When asked if the play area should be removed or refurbished/replaced, all but one respondent said refurbished/replaced
- Almost 60% of respondents visited at least weekly
- 80% of respondent stayed for up to an hour on each visit
- 95% said they would visit more often if the equipment was refurbished/ replaced
- The most important benefits of the play area were seen to be (in descending order):
 - Safety
 - Exercise
 - Play
 - Fun
 - Socialising
- The most common age group that respondents thought the play area should cater for was 0-7 year-olds
- When asked what improvements could be made, respondents replied with new equipment followed by (considerably fewer respondents in descending order):
 - More Seating
 - More for younger children
 - A MUGA
- When asked what specific equipment they would like, respondents replied with (in descending order):
 - Swing
 - Slide
 - Zip Line
 - See Saw
 - Obstacle Course
 - Spring Toy
 - Rocker
 - Play Sculpture
 - Pump Track
 - MUGA



Nature Reserve Graphics



Glide!

Ouse Treehouse Junior Unit

Spin!

Slide!

Traverse!

Climb!

Balance!

Sensory!

Rock!

Inclusive Swing

Spin Together!

Spin & Climb Net!

Communicate!

Rubbing Posts

Somersault!

Swing Together

Climb!

Eastside Birdhouse Toddler Unit

Multi-Generational Swing Seat

Inclusive Swing

Multi-Generational Swing

Rock Together

3D!

Explore

Seesaw!

HAGS[®]



Itemised Quotation

For

Newhaven Town Council

Eastside Park

Quotation ref: Q-33800-W4J7 rev 0

3rd April 2025

Contents:

Itemised Quotation	4
Project Preliminaries	34
Quotation Summary	34
Freedom of Information	36
Terms of Quotation	37
Order Form	38
Terms and Conditions	39



HAGS®

Inspiring all generations

3rd April 2025

Quotation Ref: Q-33800-W4J7 rev 0
Quotation type: Fixed Price Quotation
Valid for: 60 days

Stephen Honey

Dear Stephen

Re: Eastside Park

Thank you for inviting HAGS to provide a proposal for the above project. Please find enclosed our detailed quotation.

Inspiring all ages and ability levels is our mission. Innovation within our design and manufacturing ensure that you will have safe play and recreation equipment that creates fun for all to use.

The key benefits of choosing to work with HAGS are:

- **Quality & Durability** – we use top quality materials and manufacturing processes reducing maintenance and life cycle costs. All HAGS products are TUV certified and play spaces designed to the current European safety standards.
- **Innovation** – we have an enormous and diverse product portfolio to suit every need allowing you to add to your scheme easily.
- **Service** – we'll take care of you every step of the way from supply to decommissioning freeing up your time.

We trust that we have met your requirements and expectations fully. Should you wish to proceed with our proposal please complete the Order Form at the end of this document and return it to us along with your Purchase Order reference. However if you have any questions about the products, services offered, any other element of this proposal or wish to make any modifications please do not hesitate to contact me or my sales coordinator.

Thank you for your interest in HAGS. We look forward to discussing this proposal further with you and will contact you within the next 5 days.


Yours sincerely




Sarah Alexander
Area Sales Manager
07778 159519 (mobile number)
SAlexander@hags.co.uk


Helen Thrussell
Sales Co-ordinator
01784 489107 (head office)
HThrussell@hags.co.uk


Itemised Quotation


Topsoil & Seed		
	Supply & lay 500m2 of 50mm topsoil & seed	£6,395.00
Item Total		£6,395.00


Removals


B&R 1-Bay Swing (Cut Off)		
	Breakout and remove from site 1-bay swing (cutting off at ground level)	£501.21
Item Total		£501.21


B&R Silver Mound Unit & Small Mound unit		
	Breakout and remove from site both mound units	£703.45
Item Total		£703.45

B&R Seesaw (Cut Off)		
	Breakout and remove from site seesaw (cutting off at ground level)	£243.79
Item Total		£243.79


B&R Roundabout (Cut Off)		
	Breakout and remove from site roundabout (cutting off at ground level)	£397.22
Item Total		£397.22


B&R Seat/Bench (Cut Off)		
	Breakout and remove from site seat/bench (cutting off at ground level)	£49.44
Item Total		£49.44

B&R Unit Post (Cut Off)		
	Breakout and remove from site multiunit (cutting off at ground level)	£218.24
Item Total		£218.24


B&R Grassmat Tiles		
	Breakout and remove from site estimate 30 grassmat tiles	£894.90
Item Total		£894.90

Landscaping

Removal of Mounding		
	Removal of Mounding	£2,413.79
Item Total		£2,413.79

Topsoil & Turf		
	Supply & lay 200m2 of 50mm topsoil & turf. Watering responsibility by others.	£3,694.00
Item Total		£3,694.00

Supply & Install

Bespoke Uniplay SP7357	
	
<p>Supply 1 No. Bespoke Uniplay - SP7357</p> <p>EQUIPMENT DIMENSIONS m (L x W x H): 8.15 x 4 x 3.85</p> <p>USERS Age range: 4-12 No. of users: 20+</p> <p>INSTALLATION Cast in Place</p> <p>SURFACE & SPACE REQUIRED Max Free Fall height - 2.8m Falling Space area – 52.5m² Min wet pour area – 52.5m²</p> <p>Installation Hard Dig</p>	<p>£15,243.00</p> <p>£2,249.66</p>
<p>Item Total £17,492.66</p>	

Bespoke Unimini SP7557

Supply 1 No. Bespoke Unimini - SP7557

£10,479.51

EQUIPMENT DIMENSIONS

m (L x W x H): 4.1 x 2.45 x 2.4

USERS

Age range: 2-5

No. of users: 15+

INSTALLATION

Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height - 1.2m

Falling Space area – 30m²

Min wet pour area – 30m²

Installation Hard Dig

£2,303.45

Item Total

£12,782.96

Anky Springer (with backrest) 1 seater - (HAG8057445)



PRODUCT FEATURES

The Anky springer is fun, colourful and full of excitement. The Anky offers a backrest for additional security. Springers form an integral part of themed play and their simple, vivid design encourages imaginative games and story-telling, as well as stimulating exercise. Springers have delighted many generations of children and the Anky springer is a fantastic product to add to any playground! Double HPL sides ensure that smaller children are safe and well supported during their ride. Installation is quick and easy, with an anchoring system that allows simple maintenance and easy replacement of the product.

EQUIPMENT DIMENSIONS

m (L x W x H): 0.7 x 0.38 x 0.8

USERS

Age range: 2+
No. of users: 1

INSTALLATION

Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 0.60
Falling Space area – sq.m: 7.00
Min wet pour area – sq.m: 7.50

PLAY VALUE



PRICING

Supply 1 No. Anky Springer £784.00

Soft Dig Installation £207.00

Item Total £991.00

Turtle 4-Way Springer (Green) - (HAG8050108)



PRODUCT FEATURES

The springer is a classic playground staple and all-time favourite among toddlers. The simple, sleek lines of the new range will add a contemporary update to any play area and spark children interest. Fun shapes and bright colours galvanise children into creating their own stories and developing key motor skills. The multi-user configuration allows up to four children to play at the same time and encourage them to communicate and collaborate. The ergonomic handles and footrests make it easy for the child to have a good grip. This unit is made from durable and sturdy materials, ensuring minimum maintenance and a good resistance to vandalism.

EQUIPMENT DIMENSIONS

m (L x W x H): 0.8 x 0.8 x 0.6

USERS

Age range: 2+
No. of users: 4

INSTALLATION

Sunken Foundation

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 0.60
Falling Space area – sq.m: 8.50
Min wet pour area – sq.m: 9.00

PLAY VALUE




PRICING

Supply 1 No. Turtle Springer	£815.00
Soft Dig Installation	£201.00

Item Total £1,016.00

Roty Inclusive Roundabout - (HAG8055868)



PRODUCT FEATURES

Roty is worthy rival to the classic roundabout. Children can vary the speed at which Roty spins by shifting their body weight on the leaning platform without having to push or pull. They can face in either direction, choosing to sit or stand, and lean over the rotation centre and play with others on this ingeniously simple yet head-spinning item. Roty is perfect for five to twelve year olds. Its low platform enables easy access and exit. Roty is guaranteed to be a popular addition to any playground, providing hours of fun and excitement for all children.

EQUIPMENT DIMENSIONS

m (L x W x H): 1.27 x 1.27 x 0.95

USERS

Age range: 3+
No. of users: 5

INSTALLATION

Sunken Foundation

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 1.00
Falling Space area – sq.m: 22.00
Min wet pour area – sq.m: 23.50

PLAY VALUE




PRICING

Supply 1 No. Roty inclusive roundabout £1,931.00

Soft Dig Installation £341.00

Item Total £2,272.00

DINO one way cableway with launch station NB - (HAG8002501)



PRODUCT FEATURES

Cable rides and zip wires have always been very popular with children of all ages as it encourages energetic play, offers a thrilling ride with an element of competition if desired and is highly stimulating. This Dinomodel is 27 metres in length, complete with a launch station, and a pommel seat.

EQUIPMENT DIMENSIONS

m (L x W x H): 27 x 4.7

USERS

No. of users: Not Available

INSTALLATION

Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 1.60
 Falling Space area – sq.m: 111.00
 Min wet pour area – sq.m: 127.65

PLAY VALUE



PRICING

Supply 1 No. Dino Cableway	£7,914.00
Soft Dig Installation	£1,357.00

Item Total £9,271.00

Ekeby Seat (Hardwood) Bilinga/Galvanised - (HAG8058441)



PRODUCT FEATURES

Ekeby Park Bench, FSC Hardwood, brown / galvanised

EQUIPMENT DIMENSIONS

m (L x W x H): 1760 x 580 x 800

USERS

No. of users: Not Available

INSTALLATION

Minimum concrete volume cu. m: 0.40
Cast in Place

PRICING

Supply 3 No. Ekeby Park Bench, FSC Hardwood, brown / galvanised	£1,983.00
Soft Dig Installation	£411.00

Item Total **£2,394.00**

Ekeby Table (Hardwood) Bilinga/Galvanised - (HAG8058447)



PRODUCT FEATURES

Ekeby Table, FSC Hardwood, brown / galvanised

EQUIPMENT DIMENSIONS

m (L x W x H): 1300 x 660 x 710

USERS

No. of users: Not Available

INSTALLATION

Minimum concrete volume cu. m: 0.30

Freestanding

PRICING

Supply 1 No. Ekeby Table, FSC Hardwood, brown / galvanised

£647.00

Soft Dig Installation

£137.00

Item Total

£784.00

Ekeby Bench FSC Hardwood Brown / Galvanised - (HAG8058444)



PRODUCT FEATURES

Ekeby Bench, FSC Hardwood, brown / galvanised

EQUIPMENT DIMENSIONS

m (L x W x H): 1760 x 370 x 450

USERS

No. of users: Not Available

INSTALLATION

Minimum concrete volume cu. m: 0.25
Cast in Place

PRICING

Supply 2 No. Ekeby Bench, FSC Hardwood, brown / galvanised	£922.00
Soft Dig Installation	£274.00

Item Total **£1,196.00**

Turo Swing, Two Place Red - (HAG8051061)



PRODUCT FEATURES

Whilst playing equipment has progressed and evolved immeasurably over the years, there are some classic pieces of equipment that will always remain popular and important in any play-scheme. HAGS range of stylish Turo swings will be a great addition to every play area. This 2.4m high swing frame provides great play appeal for children to interact and develop socially, and physically.


EQUIPMENT DIMENSIONS

m (L x W x H): 1.4 x 3.75 x 2.4

USERS

Age range: 2+
No. of users: 2

PLAY VALUE



INSTALLATION

Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 1.40
Falling Space area – sq.m: 26.00
Min wet pour area – sq.m: 23.00

PRICING

Supply 1 No. Turo Swing, 2 Place	£1,294.00
Supply 2 No. Flat Seat, c/w ss chains, 6mm, black	£352.00
Soft Dig Installation	£657.00

Item Total £2,303.00

Turo Swing, Four Place - (HAG8051063)



PRODUCT FEATURES

Whilst playing equipment has progressed and evolved immeasurably over the years, there are some classic pieces of equipment that will always remain popular and important in any play-scheme. HAGS range of stylish Turo swings will be a great addition to every play area. This 2.4m high swing frame provides great play appeal for children to interact and develop socially, and physically.


EQUIPMENT DIMENSIONS

m (L x W x H): 1.4 x 7.2 x 2.4

USERS

Age range: 2+
No. of users: 4

PLAY VALUE



INSTALLATION

Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 1.40
Falling Space area – sq.m: 53.50
Min wet pour area – sq.m: 46.50

PRICING

Supply 1 No. Turo Swing, 4 Place	£2,088.00
Supply 1 No. Tango Seat, c/w ss chains, 6mm, black	£749.00
Supply 1 No. Flat Seat, c/w ss chains, 6mm, black	£176.00
Supply 1 No. Cradle Seat, c/w ss chains, 6mm, black	£365.00
Supply 1 No. Mirage Seat c/w galv chains, 6mm, grey	£542.00
Soft Dig Installation	£988.00

Item Total £4,908.00

Turo Swing Base Mod (CC) for Basket, Red - (HAG8078146)



PRODUCT FEATURES

Whilst playing equipment has progressed and evolved immeasurably over the years, there are some classic pieces of equipment that will always remain popular and important in any play-scheme. HAGS range of stylish Turo swings will be a great addition to every play area. This 2.4m high swing frame provides great play appeal for children to interact and develop socially, and physically.

EQUIPMENT DIMENSIONS

m (L x W x H): 1.55 x 3.7 x 2.4

USERS

Age range: 2+
No. of users: 5

INSTALLATION

Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 1.40
Falling Space area – sq.m: 18.00
Min wet pour area – sq.m: 16.00

PLAY VALUE



PRICING

Supply 1 No. Turo Swing Base Module for Basket Seat, red	£1,832.00
Supply 1 No. Bravo Seat c/w ss chains, 6mm, black	£755.00
Soft Dig Installation	£662.00

Item Total £3,249.00

NRG Angel Cascade (Red Rope) - (NG8079881)



colour as per drawing

PRODUCT FEATURES

Grapple the giant vines that cling to the walls of this jungle waterfall. This play installation is part of the NRG Trailblazer range of activity units, designed to be arranged in any configuration to create your own unique layout. Its distinctive steel curved arches and sturdy support posts distinguish it as an impressive range to stimulate interactive play and healthy exercise for children of all ages and abilities from 4 years and above. The Angel Cascade spans 3.75 metres and is 2.344 metres at the height of its arch.


EQUIPMENT DIMENSIONS

m (L x W x H): 3.58 x 0.1 x 2.37

USERS

Age range: 5+
No. of users: 4

PLAY VALUE



INSTALLATION

Minimum concrete volume cu. m: 0.35
Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 2.40
Falling Space area – sq.m: 29.00

PRICING

Supply 1 No. NRG Angel Cascade	£2,605.00
Soft Dig Installation	£617.00

Item Total £3,222.00

NRG Pillars of Hercules (Red Rope) - (NG8079901)



colour as per drawing

PRODUCT FEATURES

Like the ancient hero, Hercules, have you got the nerve to swing across the dangerous seas over the rocks to Atlantis? This play installation is part of the NRG Trailblazer range of activity units, designed to be arranged in any configuration to create your own unique layout. Its distinctive steel curved arches and sturdy support posts distinguish it as an impressive range to stimulate interactive play and healthy exercise for children of all ages and abilities from 7 years and above. The Pillars of Hercules spans 2.5 metres.

EQUIPMENT DIMENSIONS

m (L x W x H): 2.54 x 2.25 x 2.88

USERS

Age range: 5+
No. of users: 1


INSTALLATION

Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 1.80
Falling Space area – sq.m: 29.08

PLAY VALUE



PRICING

Supply 1 No. NRG Pillars of Hercules	£1,288.00
Soft Dig Installation	£818.00

Item Total £2,106.00

NRG Cheddar Gorge (Red Rope) - (NG8079883)



colour as per drawing

PRODUCT FEATURES

Are you ready to face the challenge of swinging hand to hand, high over the rocky outcrops of Cheddar Gorge below? This play installation is part of the NRG Trailblazer range of activity units, designed to be arranged in any configuration to create your own unique layout. Its distinctive steel curved arches and sturdy support posts distinguish it as an impressive range to stimulate interactive play and healthy exercise for children of all ages and abilities from 4 years and above. Cheddar Gorge spans 5.050 metres and is 2.877 metres at the height of its arch.


EQUIPMENT DIMENSIONS

m (L x W x H): 4.94 x 0.13 x 2.91

USERS

Age range: 5+
No. of users: 4

PLAY VALUE



INSTALLATION

Minimum concrete volume cu. m: 0.35
Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 1.97
Falling Space area – sq.m: 30.00
Min wet pour area – sq.m: 28.75

PRICING

Supply 1 No. NRG Cheddar Gorge	£2,287.00
Soft Dig Installation	£636.00

Item Total £2,923.00

NRG Klondike Single - (NG8079906)



colour as per drawing

PRODUCT FEATURES

Welcome to the Gold Rush. Can you race the narrow mountain pathways to make your fortune? This Klondike installation is the single version, better suited to eco-style play environments where space is at a premium. Its simple, safe construction is designed to develop speed, agility, balance and co-ordination in children from the age of 4 years. Provided it is set in grass, no special safety surface is required.


EQUIPMENT DIMENSIONS

m (L x W x H): 3.45 x 0.25 x 0.55

USERS

Age range: 5+
No. of users: 10

PLAY VALUE



INSTALLATION

Minimum concrete volume cu. m: 0.50
Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 0.60
Falling Space area – sq.m: 21.03


PRICING


Supply 1 No. NRG Klondike Single £942.00


Soft Dig Installation £625.00


Item Total £1,567.00


3D Ladybird		
	Install 1 No. 3D Ladybird	£1,541.14
	Installation Soft Dig	£344.83
Item Total		£1,885.97


Aluminium "Mallard" Rubbing Post		
	Aluminium posts 1500 x 100 x 100mm (to be installed cast in place) with 1 x Mallard plaque	£440.00
	Installation Soft Dig	£83.53
Item Total		£523.53


Aluminium "Newt" Rubbing Post		
	Aluminium posts 1500 x 100 x 100mm (to be installed cast in place) with 1 x Newt plaque	£440.00
	Installation Soft Dig	£83.53
Item Total		£523.53


Single UP Wooden Post incl. Panel Fixings - (HAG8061942)		
	Supply 7 No. Wooden Posts for Play Panels	£1,155.00
	Panel Post Install Soft Dig	£584.78
Item Total		£1,739.78

Bird,Duck,Fish Trace Panel		
	Supply 1 No. Bird, Duck & Fish Trace Play Panel 800x595mm	£92.92
	Installation to posts	£27.03
Item Total		£119.95

Playground Communication Panel		
	Supply 1 No. Playground Communication Panel 800x595mm	£410.71
	Installation to posts	£27.03
Item Total		£437.74

Flower Explorer Panel		
	Supply 1 No. Flower Explorer Play Panel 800x595mm	£372.21
	Installation to posts	£27.03
Item Total		£399.24

Move and Match Butterfly panel		
	Supply 1 No. Move & Match Butterfly Play Panel 800x595mm	£297.23
	Installation to posts	£27.03
Item Total		£324.26

Minibeast Totem		
	Supply 1 No. Minibeast Totem 332x136x1600mm	£1,208.60
	Soft Dig Installation	£83.53
Item Total		£1,292.13

Tornado Carousel Colour Collection 6 - (CAR-TOR(006))



PRODUCT FEATURES

Tornado is an exciting overhead spinning whirl ride. Used by one person or a group working together, young people love the speed, thrills and challenge Tornado brings to play. It also develops physical strength. Whilst its height excludes young children it is accessible to pre-teens and teens. It is a very popular playground item due to the number of uses it can be put to e.g. at a slow pace for a chat or a full on thrilling experience. Its simplicity is its strength, making it vandal resistant and Tornado's sealed bearings makes it virtually maintenance free.

EQUIPMENT DIMENSIONS

m (L x W x H): Ø1.24 x 2.27

USERS

Age range: 7+
No. of users: 5

INSTALLATION

Minimum concrete volume cu. m: 0.94
Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 1.00
Falling Space area – sq.m: 22.00
Min wet pour area – sq.m: 23.25

PLAY VALUE



PRICING

Supply 1 No. Tornado Overhead Carousel	£2,944.00
Soft Dig Installation	£411.00

Item Total £3,355.00

Pirouette Spinner Vibrant Green/Black - (HAG8049761)



PRODUCT FEATURES

A miniature roundabout for several children to ride on. Can stand individually or form a row. Rotating posts of tubular steel, electro-galvanised, primed and powder-coated, mounted on ball-bearing mechanisms. Handles and platforms of microporous polyurethane foam. Hot-galvanised steel foundation frame.

EQUIPMENT DIMENSIONS

m (L x W x H): 0.40 x 0.40 x 1.50

USERS

Age range: 5+
No. of users: 2

INSTALLATION

Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 0.60
Falling Space area – sq.m: 9.50
Min wet pour area – sq.m: 10.00

PLAY VALUE



PRICING

Supply 1 No. Pirouette Spinner £958.00

Soft Dig Installation £128.00

Item Total £1,086.00

MUSHROOM TOPS ILP ref:- MUSHTOPOLD - (ILMUSTOP)




PRODUCT FEATURES

Mushroom Tops can be found growing in the enchanted forest of a playground area created by HAGS for children of early years. Brightly coloured and varied in height, they are visually stimulating to a child’s imagination. They are safe and durable, made from steel, concrete-mounted posts covered with moulded rubber granules, and they are available in three sizes.

USERS

Age range: 2+
No. of users: 1

PLAY VALUE



PRICING

Supply 1 No. 4 No. Rubber Stepping Stones	£777.00
Soft Dig Installation	£404.00
Supply 4 No. Mushroom Tops	£800.00
Soft Dig Installation	£44.00

Item Total £2,025.00

Cone Climber 1800, 1.8m h Red/Black - (TAY8074845)



colour as per drawing

PRODUCT FEATURES

At 1.8m in height, the restricted rotating Cone Climber combines exploratory play with a sense of adventure and discovery at a safe speed. Its classic design alongside its challenging nature makes for a fun and stimulating way for children to exercise. Designed for children of all ages, Cone Climber simultaneously encourages both physical development and creative play. It stimulates the mind and offers considerable opportunity for social interaction, providing a safe and carefree environment for children to experiment.


EQUIPMENT DIMENSIONS

m (L x W x H): 1.9 x 1.9 x 1.8

USERS

Age range: 3+
No. of users: 5

PLAY VALUE



INSTALLATION

Minimum concrete volume cu. m: 0.50
Cast in Place

SURFACE & SPACE REQUIRED


Max Free Fall height -m: 1.06
Falling Space area – sq.m: 27.50
Min wet pour area – sq.m: 29.00

PRICING

Supply 1 No. Cone Climber 1800 (red & black ropes)	£5,282.00
Soft Dig Installation	£831.00

Item Total £6,113.00

Somersault Volta Bark Brown - (HAG8051083)



colour as per drawing

PRODUCT FEATURES

The HAGS Volta, an engaging and versatile climbing frame designed to challenge children's balance and coordination skills at three different heights. This dynamic play structure provides an exciting platform for children to develop their physical abilities while having fun.

EQUIPMENT DIMENSIONS

m (L x W x H): 5.9 x 3.6

USERS

Age range: 5+
No. of users: 3

INSTALLATION

Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 1.50
Falling Space area – sq.m: 16.00
Min wet pour area – sq.m: 18.00

PLAY VALUE



PRICING

Supply 1 No. Volta Bars	£720.00
Soft Dig Installation	£198.00

Item Total £918.00

VIPPY See Saw - (HAG8050438)



PRODUCT FEATURES

The Vippy see-saw provides this traditional playground favourite with contemporary design and sturdy, easy-grip handles. Available in Spectrum Yellow, Green or Red

EQUIPMENT DIMENSIONS

m (L x W x H): 3.06 x 1.02 x 0.85

USERS

Age range: 5+
No. of users: 2

INSTALLATION

Sunken Foundation

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 1.10
Falling Space area – sq.m: 12.00
Min wet pour area – sq.m: 12.00

PLAY VALUE





PRICING


Supply 1 No. VIPPY See Saw	£1,342.00
Soft Dig Installation	£382.00


Item Total **£1,724.00**


Surfacing

GRASSMATT FR SURFACING FLAME RETARDANT 1.5Mt x 1Mt - (RP400S)		
	Supply 132 No. Grassmat tiles	£5,412.00
	Install grass mat	£2,250.60
Item Total		£7,662.60




Wet Pour		
	Supply and lay 156m ² of 40mm thick ramped wet pour [as per design]	£30,813.10
	Supply and lay 113m ² of 50mm thick ramped wet pour [as per design]	
	Supply and lay 72.5m ² of 100mm thick ramped wet pour [as per design]	
	Soft dig excavation to 140mm & cart away spoil - 120.5m ²	£1,866.55
	Supply and install 120.5m ² of geotextile membrane	£350.66
	Supply and install 120.5m ² of 100mm MOT type 1	£3,296.88
Item Total		£36,327.18

Wet Pour Groundworks		
	Soft dig excavation to 150mm & cart away spoil - 113m ²	£1,882.58
	Supply and install 113m ² of geotextile membrane	£328.83
	Supply and install 113m ² of 100mm MOT type 1	£3,091.68
Item Total		£5,303.09

Wet Pour Groundworks		
	Soft dig excavation to 200mm & cart away spoil - 72.5m2	£1,637.78
	Supply and install 72.5m2 of geotextile membrane	£210.98
	Supply and install 72.5m2 of 100mm MOT type 1	£1,983.60
Item Total		£3,832.36

Tarmac Graphics - Thermoplastic		
	Allowance for thermoplastic tarmac graphics as per design	£1,379.31
Item Total		£1,379.31

Project Preliminaries

Carriage charge		
	Orders with equipment valued below £5,000 carriage is charged at 12%. Orders with equipment valued above £5,000, carriage is charged at 6%.	£4,811.18
Site Security / Storage / Welfare Facilities		
	<p><u>Site Security</u> – As recommended by the Health and Safety Executive, 2m high temporary site security fencing will be erected whilst all installation works are undertaken, including site safety signage.</p> <p><u>Site Storage</u> – Supply secure container for duration of the works inclusive of site compound management.</p> <p><u>Welfare Facilities</u> – Supply suitable welfare facilities for the duration of the project in line with the requirements of the Construction Design and Management Regulations 2015 (CDM)</p> <p><u>Skip Allowance</u></p>	£7,473.65
Post Installation Inspection		
	RPII Post Installation Inspection	£441.00
Preliminaries Total		£12,725.83

Quotation Summary

Quotation sub-total	£173,686.16
Special project discount	-£38,687.16
Quotation Total (exclusive of VAT)	£134,999.00

Additional Notes

Grassmatt Surfacing

Grassmatt surfacing relies on a combination of the product and the existing grass surface to achieve its critical fall height. The formation of the grass can vary greatly from location to location. These combined critical fall height properties are affected by changes in the weather, moisture and compaction of the ground formation, therefore the CFH cannot be guaranteed by certification. HAGS strongly recommend the installation of this surfacing product is monitored over time and maintained as required.

- Sites that are prone to waterlogging are NOT considered suitable from Grassmatt surfacing.
- During prolonged periods of dry weather the grass may need watering to sustain its growth.

When laid directly onto existing grass the surface will follow the natural contours of the ground, unless we have specifically detailed a separate cost to undertake additional preparation/ levelling/ turf works. HAGS recommend that the existing sub - soil is assessed by the client, prior to product installation, to ensure it is of good quality, without it being impeded by hard solids such as stone, brick or tree roots within the top 150mm from the grass surface.

Grass as a Safety Surface

In accordance with EN1176 grass may be used for items with a Fall Height of up to 1.5 metres, however there must be a site specific risk assessment for this that includes:

- A depth test to 150mm to indicate there are few stones or hard objects in the surface
- Areas of wear or potential wear are strengthened to prevent bare patches
- The use of the grass is monitored and a good sward is maintained at all times

This obviously requires a competent level of work by the playground owner-operator, both now and in the future. If you are happy to undertake this and continue to maintain the grass sward, no additional safety surface is necessary.

However, in our experience grass around popular items of equipment tends to become worn away, especially during spells of very dry or very wet weather. The 'performance' of grass is also dependant on the soil type beneath it. Therefore our advice would be to provide at least a wear pad of safety surfacing, especially for dynamic moving items of equipment where the risk of children falling is greater than with static equipment.

Where equipment is installed directly into grass and the free height of fall is between 0.6m and 1.5m it is the responsibility of the playground operator to ensure that the grass sward is maintained in good order.



Freedom of Information

Non-disclosure of commercially sensitive documents under Freedom of Information Act

HAGS-SMP Ltd. consider our proposal return documentation to be commercially sensitive information under the Freedom of Information Act 2000. We request it is not disclosed on the grounds that its disclosure under this Act would, or would be likely to, prejudice the commercial interests of any person holding it without upholding any public interest.

Commercially sensitive extends to, but is not limited to: pricing, company structure and resources, method statements for the delivery of the works and services and descriptions of our products or bespoke environment designs. Release of this information would give commercial competitors an unfair advantage against HAGS-SMP Ltd. on any future proposal submissions.

However, our 3D visual design drawings may be reviewed and released under a FOI Act request as this is generally available within the public domain or may have been displayed at a public event.

Terms of Quotation

1. THIS QUOTATION IS VALID FOR 60 DAYS

2. VAT IS NOT INCLUDED

3. Prices are strictly 30 days nett

Prices are strictly 30 days nett from date of invoice provided a credit account is in operation and we specifically draw your attention to clauses **3, 4, 6** and **7** of our *terms and conditions of sale* (a copy is available on request).

4. CARRIAGE CHARGES

Carriage charged within the UK Mainland are:

Orders with *gross equipment valued below £5,000*, carriage is charged at **12%**.

Orders with *gross equipment valued above £5,000*, carriage is charged at **6%**.

We have a *minimum carriage charge of £10*.

Carriage outside UK Mainland, price on application

5. BUDGET INSTALLATIONS COST

Budget costs assume that easy lorry access and precise siting of the equipment will be provided, no surface or underground obstructions will be encountered during excavation such as concrete, hard-core, rock, chalk, roots, drainage, gas or water pipes, telephone or electricity cables etc. In the event of any such obstructions we reserve the right to charge for any additional work involved. We cannot accept liability for any consequent charges that may be incurred by disruption of any of the foregoing services. For fixed installation prices a site survey is required by an Area Manager prior to the order being placed.

6. MINIMUM INSTALLATION CHARGE

On orders received with installation a *minimum installation charge* will be applicable per site.

7. NON HAGS PRODUCT

In cases where HAGS includes within a project non-HAGS items specified by the client or its agent HAGS does not warrant that product or service as fit for use and its inclusion by HAGS does not endorse the item as conforming to required standards. It is assumed that before specifying, the client has assured themselves as regards conformity to EN1176, durability and fitness for use. Any guarantee claims relating to the specified item will need to be directed to the manufacturer or distributor of the item directly. HAGS does not guarantee such goods or services in any way.

8. PRODUCT DEVELOPMENT

HAGS has a policy of continuous product development and improvement. We reserve the right to alter specifications and design features of our products. In this context illustrations and descriptions contained in our sales literature and drawings are not binding.

9. DELIVERY/INSTALLATION TIMEFRAME

Delivery of product will be confirmed with order and is typically 6/8 weeks from receipt of written order. Installation is undertaken subsequent to delivery of equipment and time required will vary according to the project. Most are completed in 2/3 weeks after delivery of equipment.

10. DAMAGE TO GRASSED ACCESS ROUTES

During installation of a playground damage to grassed areas used as an access route is sometimes unavoidable. This is particularly the case if the installation occurs in wet weather or the site itself does not drain well. HAGS will if necessary level and seed any areas damaged in such a way. But please note that our quotation does not include for watering, maintenance or protection of such seeded areas from further damage or erosion.

11. LIQUIDATED DAMAGES

Would you please note that unless formally agreed in writing as part of an established form of contract (e.g.: JCT Minor Works) **HAGS-SMP Ltd t/as HAGS will not accept the imposition of liquidated damages** under any circumstances. Should such an agreed contract be in force the damage applicable (such financial damage to be real) shall be no greater than 1% per week of the total value of the works placed with HAGS-SMP Ltd and limited to a maximum of £250 per week.

12. SETTLEMENT DISCOUNT

a. NOMINATED SUB-CONTRACTOR:

Should a settlement discount of 2.5% be required under the terms of the main contract, then **2.563% should be added** to all prices quoted herein.

b. NOMINATED SUPPLIER:

Should a settlement discount of 5% be required under the terms of the main contract, then **5.263% should be added** to all prices quoted herein.

Terms and Conditions of sale are available on request Please contact Customer Services **0845 260 1655** sales@hags.co.uk
Issue Y 15.10.18

HAGS®

Inspiring all generations

Order Form

For HAGS supply & installation project

Date

Your PO Number:

Company Name _____
Address 1 _____
Address 2 _____
Address 3 _____
Address 4 _____
Town _____
County _____
Post Code _____

DELIVER TO

Project / Delivery Contact Name _____
Site Name _____
Address 1 _____
Address 2 _____
Address 3 _____
Address 4 _____
Town _____
County _____
Post Code _____

PROJECT DELIVERY CONTACT	DELIVERY CONTACT MOBILE NO.	PREFERED START DATE

QTY	DESCRIPTION / QUOTATION REF	LINE TOTAL

PAYMENT TERMS ARE STRICTLY 30 days
(unless otherwise agreed)

SUB TOTAL	
VAT @ 20%	
TOTAL	

1. Please notify us immediately if you are unable to receive delivery / installation as specified in our Order Acknowledgement
2. In signing this order form you agree to HAGS Terms & Conditions (as detailed)
3. Payment terms are subject to status

Authorising signature _____ Date _____
Print name: _____

Terms and Conditions

1. THE CONTENT OF THIS CONTRACT

- a. in this Contract: -
 - "the Company" means HAGS-SMP Ltd t/as HAGS as applicable
 - "the Goods" means the goods or services sold or supplied by the Company to the Customer under this contract
 - "this Contract" means a contract between the Customer and the Company incorporating these conditions
- b. The Contract governs the sale of Goods by the Company to the exclusion of all other representations, statements, understanding, negotiations, proposals or agreements.
- c. Where the Customer submits its own order form these terms shall prevail if they conflict with the terms in that form, even if that form includes a condition similar to this one
- d. The Contract becomes legally binding on both parties once FIVE (5) BUSINESS DAYS has expired following the issue by the Company of the Order Confirmation. At this point, the Customer shall be deemed to have unconditionally accepted the Order Confirmation and the Contract. If the Customer rejects the Order Confirmation within the FIVE (5) BUSINESS DAYS, no Contract is deemed to exist.
- e. No employee of the Company or its agents has authority to make any warranty, statement or promise concerning the Goods except in writing signed by a Company Director.
- f. The Customers order shall be subject to acceptance by the Company
- g. Orders are accepted and estimates of delivery given conditionally on the Company being able to secure the necessary labour or material and without responsibility for delays or non-fulfilment arising through risk and uncertainties of manufacture, strikes, accidents, force majeure or otherwise howsoever.
- h. All drawings, descriptive and forwarding specifications, particulars of weights and dimensions are approximate only and not binding and illustrations contained in catalogues, price lists, sales literature and other advertisement material are for the purpose of general description only and none of these shall form part of this Contract.

2. STANDARDS

- a. Where a B.S.I. specification or code is applicable, quotations will be given for patterns and equipment to that specification code.
- b. When Goods supplied under this Contract are not supplied under the B.S.I. system for the Registration of Firms at Assessed Capability, the Customer will be notified in the quotation relating to those Goods.

3. PRICES

- a. We reserve the right to invoice at the price ruling at date of despatch. All prices, unless otherwise stated, are for delivery "ex works" and are exclusive of value added tax or any other tax or duty which is or may be levied or charged in the U.K. or in the country of destination. Any such taxes, duties or charges shall be paid by the Customer.
- b. Unless otherwise specified, packing cases and pallets will be charged extra but will be credited in full on return carriage paid and in good condition within one month of receipt by the Customer. Export packing cases are not returnable.
- c. Quoted prices are held for a period of 60 (Sixty) days and ordered prices for Goods or Services are held for 60 (Sixty) Days, after these periods both are subject to any increase in the cost of labour, materials and installation.
- d. If the Customer requires alteration to the order the price will be varied accordingly. After 5 (Five) business days of the order being placed, any changes will incur additional charges.

4. PROPERTY OF GOODS

- a. Property of Goods delivered by the Company shall not pass to the Customer until payment is made in full. In case of default in payment, the Company shall be granted access rights in order to repossess the Goods. At all times before payment in full:
 - the Goods shall stand in the Customer's books in the name of the Company; and
 - the Customer shall take appropriate steps to notify third parties of the Company's interest in the Goods; and
 - in the event of threatened seizure of the Goods or by the appointment of a receiver or liquidator, or any other event entitling the Company to terminate this Contract under paragraph 10, the Customer shall immediately notify the Company and the Company shall be entitled to enter the Customer's premises and repossess the Goods.
- b. If the Customer delivers Goods to a third party before payment has been made in full to the Company, the customer shall hold all sums received for such Goods as trustee for the company and shall remit them to the Company on receipt.
- c. Risk for the Goods shall pass on delivery.

5. DELIVERY

- a. Delivery shall be "ex-works" unless the Company agrees otherwise. If the Contract includes delivery by the Company, the Customer shall be responsible for giving the Company clear and accurate instructions as to the place of delivery. If the carrier is unable to unload the Goods carried, the transport will still be charged. Any damage to Goods caused during or after unloading by the staff of the Customer will be the exclusive responsibility of Customer.
- b. If the Customer is not available or prepared to accept delivery the Company may take away the Goods and redeliver at a later date, charging the Customer for any additional expense thereby incurred (including temporary storage and demurrage) or leave the Goods on any part of the premises which is accessible without responsibility for loss or damage to them whether as a result of their being unsecured or otherwise
- c. If the Company has been delayed by the Customer for delivery of Goods, the Company has the right to charge a weekly holding or storage charge of 2.5% of the Goods.
- d. Time shall not be of the essence in respect of delivery. If the goods are to be delivered by a date specified by the Customer or by the Company such date is to be treated as an estimate only. The Company does not guarantee that the Goods will be delivered by such date or accept any liability for failure to meet the date.
- e. Prior authorisation for any returns is needed before the Company will accept. The Company reserves the right to charge a re-stocking fee of 25% of the Goods. Carriage cost for any returned product must be borne by the Customer.

6. SETTLEMENT TERMS

- a. Where credit facilities exist, accounts are due for payment 30 days from the date of invoice. Proforma payments and deposits can be requested by the Company at any time, subject to Customer credit checks and review on historical payments.
- b. Unless expressly stated otherwise in writing, invoices will be issued:
 - i. For the supply of Goods only orders, 100% of the price upon manufacture or dispatch.
 - ii. For supply of Goods and Services orders, 100% of the Goods price upon dispatch and the remaining balance in accordance with an agreed upon payment plan but no later than full invoicing upon completion (handover) of services. The payment of the total value of each invoice shall be made within thirty (30) days starting from the date of the invoice unless expressly agreed otherwise.
- c. The Company is entitled to ask for full payment of Goods upfront when the order is accepted (by credit card, money transfer or similar) and the payment of the installation upon completion date (hand over) of services. In the exceptional case that the Customer does not meet financial criteria set by the Company, the order will not be released to manufacturing until the pre-payment has been received, so the pre-payment invoice shall be made within five (5) working days starting from the date of the invoice in order to achieve timely delivery
- d. For Services to be carried out over a period exceeding two weeks, the Company reserves the right to invoice the Customer on a weekly basis. An initial invoice will be issued upon receipt of the Goods at the Customer's site, followed at weekly intervals by invoices for completed stages of the Services. In the event that any weekly invoice is not paid in accordance with clause 6(a), the Company shall be entitled at its own discretion to suspend the Services until payment of all outstanding sums is received or to terminate the Contract in accordance with clause 10.
- e. Where special discount terms are quoted, the terms must be strictly adhered to otherwise the account will be charged nett. The Customer shall unless otherwise agreed in writing, pay all sums due to the Company under the Contract prior to delivery in cash or cleared cheque in pounds sterling.
- f. If for any reason the Company does not receive unconditional payment in full, whether under any terms of credit facilities or otherwise, within 30 days from delivery then the company may charge daily interest on such payments at a rate equal to 8% per annum above the Bank of England Base rate, such interest to run from day to day to accrue before as well as after any judgement.
- g. Export Sales: Special terms will be quoted for export deliveries.
- h. If retention is applicable, the retention period will be 12 (Twelve) months from the Completion Date unless an amendment is agreed with the Company prior to the sales order submission. Clause 6(f) will be enforced for outstanding balances after the expiration of the 12-month period.

7. DEFECTS

- a. The Company does not accept responsibility for any damage, shortage or loss in transit unless:
 - i. Non-receipt of Goods is advised to the Company within 10 days from the date of the Company's advise/delivery note; and
 - ii. Any breakage, damage or shortage is advised to the Company and carriers within 10 days of receipt of Goods provided that the carriers note is marked "unexamined".
- b. All sizes are approximate. Variations during the course of manufacture cannot be avoided and liability is not accepted for them.
- c. When Goods are offered and supplied to a Customer's designs and specifications no guarantee is given or implied for their suitability for the purpose for which they are used.
- d. Return of any Goods must be authorized in writing by the Company prior to shipping and all costs and expenses will be borne by the Customer.
- e. The communication of defects and anomalies must be raised within (3) Three Months of when the Goods defect is discovered or should have been discovered and must be accompanied by supporting documentation to help validate the claim.
- f. If specific colours or design of Goods have been discontinued, the Company will offer a choice of available alternative colours or corresponding alternative designs of Goods to replace the warranted defect.
- g. If during the period of 12 (Twelve) months from the date of invoice the Company is notified of a fault in the Goods which is due to a faulty design, manufacturing or materials the Company will replace or (at its option) repair the faulty part free of charge provided that:
 - The Goods have been properly kept, used and maintained in strict accordance with the manufacturer's or the Company's instructions, if any, and have not been modified.
 - The fault is not due to accidental or wilful damage, interference with or maintenance of the Goods by persons other than the Company or its duly appointed Agent.
- h. If the Company has been notified by the Customer to a fault outside the period of 12 months the Company will review the Goods warranty documents to validate the claim. If the fault falls into a warranty category which the Company decides to honour, the replacement part to resolve the fault will be supplied free of charge exclusive of labour.

8. INSTALLATION OF GOODS

- a. The Customer must provide accurate information to the Company regarding site details including site dimensions, layout, specification and below ground soil conditions, If this is not provided accurately by the Customer, the Company can charge the Customer any additional charges incurred.
- b. The Customer shall promptly notify the Company of any existing installations such as water, gas, communications, electricity, or of any other similar communications or installations which may be affected and/or may suffer damages as a consequence of the installation works to be carried out in the place where the Goods are to be installed. Should the Customer fail to provide such information prior to the commencement of the Services, the Company shall not be held liable under any circumstance for any potential or actual damages caused to such installations. If the Company incurs additional costs as a result of a failure to provide such information, the Company can charge the Customer any additional costs incurred.
- c. The Company will only survey area's above ground prior to installation. Any additional surveys required will be chargeable to the Customer. Should any sub-surface structures exist that are not identified through the survey, the Company can charge the Customer for any additional costs incurred.
- d. An installation commencement date will be agreed in advance by the Customer and the Company. Should the installation site not be in a suitable condition for work to commence on this date, the Company will be entitled to charge the Customer for any additional costs incurred.
- e. The Company shall subcontract Services works out to approved installers where necessary, all works to be managed by the Company.
- f. The Company has the right to charge the Customer for any works outside the order confirmation.
- g. Any amendments to the original order must be made in writing. The Company will endeavour to accommodate such amendments but will charge the Customer for any additional time and materials incurred. The Company has the right to reject such amendments.
- h. Upon completion of the Services, the Customer shall sign the Site Completion Handover Checklist provided by the Company or confirm in writing all works have been carried out to a satisfactory level. Should the Customer claim that the Services have not been performed in accordance with the Order Confirmation, the Customer shall send the Company, within five (5) working days from receipt of

the Site Completion Handover Checklist or Confirmation email of completed works, a notice ("Notice"), specifying in detail, the faults found in the Services. If the Customer objectively demonstrates the claimed faults, the Company shall remedy the claimed faults at its own expense; if, instead, the Company demonstrates that the Services are in compliance with the Order Confirmation, the Customer shall be obliged to pay the Company the costs and expenses of the activities carried out to demonstrate the compliance of the Services. If the Customer doesn't return a signed Site Completion Handover Checklist, Confirmation email or provide a Notice within five (5) working days from receipt of the Site Completion Handover Checklist or Confirmation email of completed works, the Services will be deemed completed to the Customer's satisfaction in all respects.

9. LIMITATIONS OF LIABILITY

- a. Except where expressly contained in this Contract, all warranties, conditions, undertakings and representations, express or implied, statutory or otherwise, are excluded and the Company has no obligation, duty or liability in Contract, tort (including negligence or breach of statutory duty) or otherwise.
- b. In any event, the Company's liability arising for any reason in connection with this Contract shall be limited to the original invoice value of the Goods.
- c. In no circumstances will the Company be liable in Contract, tort (including negligence or breach of statutory duty) or otherwise for loss (whether direct or indirect) of profits, business or anticipated savings, or for the indirect or consequential loss or damage whatever.
- d. The Company does not exclude or restrict liability for death or personal injury resulting from its own negligence
- e. Each provision of this Condition is to be construed as a separate limitation applying and surviving even if for any reason one or other of the said provisions held unreasonable in any circumstances and shall remain in force notwithstanding termination of this Contract.

10. TERMINATION

- a. The Company shall have the right forthwith to terminate this Contract and to claim for any resulting losses or expenses if:
 - i. the Customer fails to pay any undisputed amount due under this contract on the due date for payment and remains in default not less than 14 days after being notified in writing to make such payment;
 - ii. the Customer commits a breach of this Contract and fails to remedy the breach within reasonable time of a written notice to do so; or
 - iii. the Customer commits any act of bankruptcy or compounds with its creditors; or a petition or receiving order in bankruptcy is presented or made against the Customer, or a petition for an administration order is presented in relation to the Customer, or a resolution or petition to wind up the Customer is passed or presented (otherwise than for reconstruction or amalgamation) or a receiver or administrative receiver or any similar event occurs under the laws of the state where the Customer was incorporated.
 - iv. A re-stocking fee of 25% of the product value and freight charge will be levied for all cancelled orders.
- b. For all special manufactured or purchased items we reserve the right to charge full value of the cancelled equipment order.

11. FORCE MAJEURE

- a. The Company shall not be liable in respect of any breach of this Contract due to any cause beyond his reasonable control including: Act of God, inclement weather, pandemic, flood, lightning or fire, industrial actions, or lockouts; the act of omission of government, highways authorities, or other competent authority, war, military operations or riot; the act or omission of any part for whom the Company is not responsible.

12. INFRINGEMENTS

- a. The Customer shall indemnify the Company against all damages, penalties, cost and expenses arising out of any claim by any third party for any infringement or alleged infringement of any third party's industrial or intellectual property rights in any work carried out in accordance with the Customer's specification.
- b. Copyright in all drawings or tracings prepared by the Company are the Company's property and copyright and must be regarded as confidential. Such drawings or tracings must not be published or disclosed under any circumstances without the Company's permission in writing.


13. APPLICABLE LAW

- a. The Law of England shall be the proper law of this Contract

HAGS[®]


Inspiring all generations

hags.co.uk | sales@hags.co.uk | 0845 260 1655



 PlayPower

A PlayPower, Inc. Company



NEWHAVEN T.C - EASTSIDE PARK

QUOTATION REF: 07425

DATE: 31/03/25



**PLAYSAFE
PLAYGROUNDS LTD**





PLAYSAFE PLAYGROUNDS LTD

The Cart House, Goldrings Farm, Elsted Marsh,
Midhurst, West Sussex. GU29 0JS
Tel: 01730 815472 Fax: 01730 815872
E-mail: info@playsafeplaygrounds.co.uk

Newhaven Town Council
18 Fort Road
Newhaven
East Sussex
BN9 9QE

Ref: 07425

31st March 2025

QUOTATION – Eastside Park, BN9 0BU

Quotation Summary Sheet

Site Setup – H & S documentation, site security, signage, secure storage and welfare

Removals – Carry out removals of the existing play equipment and areas of safety surfacing, all as listed below

Refurbishment Works – Refurbish any equipment being re-used within the new scheme, all as listed below

Play Equipment – Supply all manufactured play equipment as listed and specified below

Play Equipment Delivery – Deliver all play equipment to site, including offloading as part of the install works

Play Equipment Installation – Costs for the installation of all proposed items of play equipment as specified below

Mounding & Earthworks – Re-shape existing and create runway mounding as required using excavated soil from site

MUGA Court – Supply and delivery of a new MUGA at approx. 15m x 9m, located as shown on the graphic provided

MUGA Installation – Costs for the installation of the MUGA fencing as specified below

MUGA Court Surfacing – Excavate, lay stone base works and a finished tarmac surface, all as specified below

Existing Path – Make minor changes to the path and apply colour coating with interactive graphics, all as specified below

Base Works (Safety Surface) – Excavate and lay stone base works, all as specified below ready for wetpour surfaces

Wetpour Safety Surfacing – Supply and lay wetpour safety surfacing to required depths, all as specified below

Post Installation Inspection – Carry out an independent post installation inspection on works completion

Customer Liaison – Continual liaison with the customer throughout the contract up to practical completion

Quotation Total = £129,997.00 + VAT *(stainless steel scramble climber option)*



On all new synthetic safety surfaces

See detailed price break down below

All prices are excluding VAT and valid for 21 days.
Terms: To be confirmed at point of order



Please contact us
for details of our
FSC® certified
products
The mark of
responsible forestry
FSC® C007915

Site Setup

Provide all 'site specific' health and safety documentation, including insurances, RAMS, program of works, accreditations and certifications – [The customer is required to provide up to date utility plans of the working area prior to completing the above information.](#)

Supply, erect and maintain heras security fencing and signage around the perimeter of the following areas for the duration of the works –

- Working area;

Provide onsite lockable secure storage facilities to house plant and tools for the duration of the works. Provide and maintain onsite WC facilities for the duration of the works.

Clear site of the above on the completion of the works.

£2,541.00

Removal Work

Carry out the removals of the following items, removing existing foundations only where necessary and carting all waste materials away from site to a licensed tip –

- **3 No** in-ground trampolines, complete with 21m² of wetpour safety surface
- **1 No** steel junior swing frame, complete with 21m² of bark surface @ 150mm depth
- **1 No** redundant slide deck – located on the existing mound
- **1 No** sleeper bridge
- **4 No** steppers
- **1 No** steel climbing unit
- **1 No** steel toddler swing frame
- **1 No** roundabout
- **1 No** large spring see saw, complete with 21m² of grass mat surfacing

- 21m² of grass mat surfacing from under the existing Nest Swing ([swing frame is to remain in place](#))

The following items will be removed from their current location and stored on site for refurbishment and relocation within the new proposed scheme –

- **1 No** steel picnic table

£4,367.00



Refurbishment

Refurbish 2 No existing picnic tables, one to be relocated and the other outside the fenced area. The following works will be carried out on both picnic tables –

- Sand down all metal work to remove any flaking paint
- Prime all bare metal areas
- Apply 2 x coats of machine enamel gloss paint – available in a variety of RAL colours



£886.00

New Play Equipment

Metro 1 Scramble Climber (Option 1 – Manufactured in Stainless Steel)

The 'Metro 1 Scramble Climber' manufactured in stainless steel by [Dylan Group](#) as part of the Dylan Play Metropolis Scramble Climber range.

From our ever increasing Metropolis Range of play equipment, the Metro 1 is an exciting and challenging piece of climbing equipment that also incorporates climbing nets and ropes.


Nets and ropes are steel core play grade ropes and are available in 6 colours as standard.

Overall height - < 4000mm

Critical Fall Height - 1800mm

User age Group – 5-12 years


User Capacity – 10 +



£11,375.00

Jungle Scramble Climber (Product Code - 81 JC) (Option 2 – Robinia Timber with Steel Feet)

Jungle' Scramble Climber' manufactured by [Dylan Group](#) as part of the Dylan Play Scramble Climber play range.



An exciting and challenging piece of climbing equipment that also incorporates climbing nets and ropes. Nets and ropes are steel core play grade ropes and are available in 6 colours as standard.

Heavy duty galvanized steel feet are included with this item -

Overall height - < 3500mm

Critical Fall Height - 2100mm

User age Group – 5-12 years

User Capacity – 10 +

All timbers used are FSC 100% certified.

Expected unit life span – 20 years (with regular maintenance and replacement parts)

Cost includes extra depth rubber required for the applicable critical fall height



£11,197.00

2-Bay Premier Metro Swing (Product Code 124M F C H S T)

2400mm height 2-Bay Premier Metro swing set, manufactured in stainless steel by [Dylan Group](#) as part of the Dylan Play Metropolis Range and to include the following features –

- Stainless steel vertical legs for in-ground installation
- Stainless steel top beam complete with anti-wrap swing hangers where applicable
- **Bay 1** - 1 No toddler cradle/1 No parent & toddler Seat
- **Bay 2** - 1 No junior flat seat /1 No Inclusive Bucket Seat with harness
- Stainless steel chains to all seats



Overall height - 2500mm

Critical Fall Height - <1500mm

User age Group – 2-12 years

User Capacity - 5

£6,101.00

Aerial Runway Metro - No Start Ramp (Product Code – 15M 20)

20 metre Metro Aerial Runway, without start ramp, manufactured in stainless steel by [Dylan Group](#), as part of the Metropolis play range, and constructed as follows -

The start station will be 4200mm high, dropping to approx. 3400mm at the end station, with a 20m cable length



- Stainless steel frame construction
- Suspended tensioning mechanism that can be adjusted using just a drill/ratchet and socket
- Spring buffers at the start and end sections
- 10mm diameter steel rope cable
- Stainless steel cableway trolley
- Rubber button seat with 2m length of sleeved chain

Overall height - 4300mm

Critical Fall Height - <1000mm

User age Group – 3-12 years

User Capacity - 1

£9,660.00

All prices are excluding VAT and valid for 21 days.
Terms: To be confirmed at point of order.



Stainless Steel Embankment Slide

1500mm height Stainless Steel 'Extra Wide' embankment slide, to fit the existing mounded area –

- Stainless steel 'Extra Width' slide – 2610mm length x 1050mm width
- Stainless steel guardrail barrier at slide entrance.

Overall height - 800mm

Critical Fall Height - <1000mm

User age Group – 2-12 years

User Capacity - 2

£2,478.00

2-Seat Metro See Saw (Product Code – 5302M)

2-seated stainless steel see saw @ 3000mm length and manufactured by [Dylan Group](#) as part of the Metropolis Play Range, to include the following features –

- Stainless steel legs, beam handles and see saw mechanism;
- Tyre seat buffers set in ground under each end;
- 2 x Ergonomic moulded seats;



Overall height - 1200mm

Critical Fall Height - <1200mm

User age Group – 3-12 years

User Capacity - 2

£3,406.00

Inclusive Dish Roundabout 1000mm Ø (Product Code – 10 SWD100 S)

The stainless steel Inclusive Dish Roundabout is one of our most inclusive products, it can be used for very fast dynamic play. The rotating motion with good body support and security given by the dish shape, make our dishes accessible to all. The angle of the dish and its height make side transfer possible and minimise the lifting required by helpers.



Users: 1-2

Age Range: 3+

Promotes: Balance, Co-ordination, Physical and Cognitive

Max Fall Height: < 1000mm

Safety Surfacing: 14m²

£2,251.00

Stilts (Product Code – 275M)

Set of **5 No** 'Walk & Stretch Stilts' (steps range from 200mm-550mm height) manufactured in stainless steel by Dylan Group, as part of the Dylan Play Metropolis play range.


- 5 No stilts per set as standard;
- Available as single items if required;
- 2 x steps per stilt

Overall height - 1800mm

Critical Fall Height - <750mm

User age Group – 3-12 years

User Capacity - 8



£2,862.00

Metro Steppers (Product Code – 210M)

9 No 'Metro Steppers' (installed ranging in height from 300mm – 500mm above ground) manufactured from stainless steel and HDPE plastic, by Dylan Group, as part of the Dylan Play Metropolis play range.


- Supplied @ 1000mm length as standard
- 300mm approximate diameter HDPE post tops

Overall height - 590mm

Critical Fall Height - <600mm

User age Group – 3-12 years

User Capacity – 1 per stepper



£1,744.00

Metro Springer (Product Code - 51 MET)

'Metro' springer manufactured in stainless steel by [Dylan Group](#), as part of the Metropolis Play Range and to include with the following features –

- Stainless steel tube construction
- Powder coated steel spring;

Overall height - 850mm

Critical Fall Height - <1000mm

User age Group – 3-6 years

User Capacity - 1



£1,385.00

Metro Arch Bridge (Product Code – 21-AB M)

Metro Arch Bridge, manufactured from stainless steel by Dylan Group, as part of the Dylan Play Metropolis Adventure Trail range.

- Rolled stainless steel
- 16mm diameter 4-strand play rope, available in a number of different colours – red, blue, beige, black as standard

Overall height - 2200mm

Critical Fall Height - <1000mm

User age Group – 5-12 years

User Capacity - 6




£3,660.00

Path Arch Seat and Play Panel (Product Code – Special)

Path Arch, manufactured from stainless steel by Dylan Group as part of the Metropolis Range and to include the following features –

- Rolled stainless steel tube frame
- Perch seating over looking the younger play zone
- Double sided Maze finger Trace Play Panel (to replicate and replace the floor maze that will be covered over)




£3,469.00

MUGA Viewing Lounge Seat (Product Code – Special)

Lounge seat, manufactured from stainless steel by Dylan Group as part of the Metropolis Range and to include the following features –

- Rolled stainless steel tube frame
- Steel core play grade ropes to form the lounge seat
- Stainless steel fixings



£2,062.00

Delivery

Delivery of the following pieces of play equipment to site, including offloading and transfer into the working area as part of the installation works –

- 1 No Metro 1 Scramble Climber
- 1 No 2-Bay Premier Metro Swing
- 1 No Aerial Runway Metro - No Start Ramp
- 1 No Stainless Steel Embankment Slide
- 1 No 2–Seat Metro See Saw
- 1 No Inclusive Dish Roundabout 1000mm Ø
- 5 No Stilts
- 9 No Metro Steppers
- 1 No Metro Springer
- 1 No Metro Arch Bridge
- 1 No Path Arch Seat and Play Panel
- 1 No MUGA Viewing Lounge Seat

£688.00

Play Equipment Installation

Carry out the installation of the following play equipment into a flat grass site, located as shown on the graphics provided –

- 1 No Metro 1 Scramble Climber
- 1 No 2-Bay Premier Metro Swing
- 1 No Aerial Runway Metro - No Start Ramp
- 1 No Stainless Steel Embankment Slide
- 1 No 2–Seat Metro See Saw
- 1 No Inclusive Dish Roundabout 1000mm Ø
- 5 No Stilts
- 9 No Metro Steppers
- 1 No Metro Springer
- 1 No Metro Arch Bridge
- 1 No Path Arch Seat and Play Panel
- 1 No MUGA Viewing Lounge Seat
- 1 No Picnic table (relocated from original layout)

All excavated waste materials will be removed from site to a licensed tip.
Prices include all plant, labour and materials required to carry out the works.

£10,833.00



Mounding & Earthworks

Using soil excavated from site, create the runway start station ramp measuring approximately 5000mm x 6500mm @ 800mm maximum height from surrounding ground level.

The runway mound will be formed and shaped as required prior to being seeded on completion of the works.

Existing mounds around the site will be moved and re-shaped, all as indicated to suit the new proposal and as shown within the enclosed graphics.

Excavated spoil will be used to increase the footprints and heights of existing and again, seeded on completion of the works.

Soil will be obtained through various excavations throughout the works and with top soil being separated. All unwanted soil will be removed from site

£2,432.00

MUGA Court Fencing

Supply and deliver a **15m x 9m** MUGA Court as shown on the graphics enclosed –

- 2 No flat panel goal ends complete with basketball backboards and hoops
- 3 metre height panels to both ends (either side of goal ends) and 1 x side
- 1.2m height side panels nearest to play area
- Rebound grade lower panels all round complete with sound deadening fixings;
- 1 No 1200mm height pedestrian gate complete with slide latch locks;

£8,767.00

MUGA Installation

Installation of the following MUGA court fencing, located as indicated on the graphics provided –

- 15m x 9m court fencing complete with 2 x goal ends

All excavated waste materials will be removed from site to a licensed tip.

Prices include all plant, labour and materials required to carry out the works.

£3,896.00

MUGA Court Surfacing and Line Marking

Base Works & Edging –

Excavate an area of 135m² at a depth of 210mm and remove all excavated waste spoil from site to a licensed tip.

Supply and lay 135m² of geotextile membrane to the excavated area, overlapping all joints by a minimum of 300mm.

Supply and lay 48 linear metres of PCC flat top path edges to form the perimeter of the MUGA court.

Supply and lay 135m² of type 1 stone to a minimum compacted depth of 150mm.

£8,852.00

All prices are excluding VAT and valid for 21 days.
Terms: To be confirmed at point of order.



Tarmac Surface –

Supply, lay and roll 135m² of 20mm aggregate open texture binder course tarmac at a compacted depth of 40mm.

Supply, lay and roll approximately 135m² of 6ac open texture surface course tarmac at a compacted depth of 20mm.

£6,646.00

Colour Coat & Line Marking –

Apply 135m² of court coat anti-slip colour coating to the finished tarmac surface. Applied with a specialist spray machine and available in a variety of colours to suit all environments.

Apply painted line markings to the finished surface as follows –

- Basketball court (internal lines) – **yellow**;
- Football court (internal lines) – **white**;

£742.00

Existing Path

Make good of the existing path line, where the trampolines have been removed.

Backfill the void using site won granular fill and top up to required levels with type 1 stone.

Supply and lay 14 linear metres of PCC flat top path edges to form the new path edge.

Supply, lay and roll 8.5m² of 20mm aggregate open texture binder course tarmac at a compacted depth of 40mm.

Supply, lay and roll approximately 8.5m² of 6ac open texture surface course tarmac at a compacted depth of 20mm.

Apply 110.5m² of court coat anti-slip colour coating to the existing path surface. Applied with a specialist spray machine and available in a variety of colours to suit all environments.

- The section of path leading to the MUGA will be in **dark blue**.
- The section of path leading to the play area will be in **light blue** and include sensory path activities for the children to partake in, all as shown on the enclosed graphics.

£3,383.00

Safety Surface Base Works

Excavate various areas totalling **245m²** to depths ranging from 50mm-60mm, removing all excavated waste soil from site to a licensed tip.

Supply and lay geotextile membrane to all excavated areas, overlapping all joints by 300mm minimum.

Supply and lay **275m²** of type 1 stone all at a minimum compacted depth of 100mm, rolling edges in below the surrounding ground level.

£7,664.00



Wetpour Surfacing

Supply and lay the following areas of **Black Wetpour** safety surfacing, a two layer surface consisting of SBR base rubber layer and an EPDM rubber wearing layer, all over a free draining base –

- **35m² @ 20mm depth** overlayed onto the existing area of wetpour surfacing;
- **224m² @ 40mm depth** with a tested CFH of **1500mm** when laid over type 1 stone base;
- **51m² @ 50mm depth** with a tested CFH of **1800mm** when laid over type 1 stone base;
- **An inclusion has been made for colour fleck wear pads to the high wear points around the various pieces of play equipment – please see the enclosed graphics for incitive design**



Perimeter edges will be laid below surrounding ground levels, dressed with soil on completion and seeded.

This will create a smooth transition between rubber surface and surrounding grass surfaces and eliminate future pulling problems from surrounding edges.




Wetpour is available in a variety of colours, standard being black, red, blue and green, which can be blended or used to created colourful surface areas.

Wetpour has a 5 year Guarantee as standard to all new safety surface areas – full Ts & Cs available.

Please see the attached document regarding UV stability and surface discolouration

As the safety surface levels will be raised by around 50mm to surrounding grass, all safety surface perimeter edges will be dressed fully with site won top soil to remove any sharp drops in level. An example of this can be seen in the below diagram.



Seed will be applied to all soil areas on completion of the works.

£17,393.00

All prices are excluding VAT and valid for 21 days.
 Terms: To be confirmed at point of order.



Post Installation Inspection

Carry out an independent post installation inspection to the new installation (play area & MUGA) on completion of the works.

The client will be provided with the independent report and any snagging works brought up will be rectified prior to hand over.

£454.00

General Site

On completion clear site of all surplus materials and waste

Estimated Project Time Scale

5 weeks

Our installation

All works (including ground works) are undertaken by our 'in house' installation teams working to detailed specifications. Our staff are DBS checked, trained and skilled in both the works and H&S requirements, which enables us to hold valid certificates in:

CHAS, Constructionline and SMAS.

Equipment Manufacture (in-House)

We manufacture all of our play equipment at our premises, located just outside of Midhurst in the South Downs National Park.

Product quality will always be to the highest standards as we retain control over every aspect of the manufacture, including design and raw material selection.

We are not limited to 'off the shelf products' and can provide our customers with bespoke designs to fit a budget or available space, with no extra cost associated to the bespoke design.



Such is our confidence in the products we produce, we offer extensive standard guarantees on our equipment, including a **20 year Guarantee** on our stainless steel range.



Materials

Stainless Steel (Play Equipment)-

304 grade stainless steel

Attachments (Slides, Poles, Chains, Swing Hangers) –

Stainless steel – AISI 304 as a minimum

Ropes & Nets –

Manufactured in 6-strand wire reinforced play grade ropes – available in a variety of standard colours

Stainless steel chain tails for use with special chain connectors

Fixings –

Stainless steel fixings used throughout, including, brackets, chain connectors, bolts, nuts, t-nuts, screws

Springers –

Carved hardwood tops

Steel springs with a galvanised and grey powder coated finish

Equipment & Surfacing Compliance

Equipment manufactured by Playsafe Playgrounds is manufactured in compliance with current BSEN 1176 safety standards.

All safety surfaces are supplied and laid in compliance with current BSEN 1177 safety standards.

Experience & Capability

Playsafe Playgrounds have nearly 29 years of experience independently designing and installing play areas across England. We pride ourselves on being able to provide our customers bespoke designs and being able to easily overcome problematic installations with the use of our specialist machinery and extensive knowledge.

We only use employed staff for our installations, currently running 4 installation teams, all of which are trained to various levels, including SMSTS (Site Managers Safety Training Scheme) & SSSTS (Site Supervisors Safety Training Scheme), along with machine/hand tool operator certification, fire safety and First Aid.

Environmental Commitments & Company Policies

Playsafe Playgrounds are increasingly adopting environmentally friendly practices across various stages of our product life cycle, including manufacturing, recycling, and disposal -

Manufacturing

Sustainable Materials:

Using renewable or recycled materials in production, such as bioplastics, recycled metals, or sustainably sourced wood.

Energy Efficiency:

Implementing energy-efficient technologies and practices in manufacturing processes, such as LED lighting, energy-efficient machinery, and optimizing energy use.

Waste Reduction:

Minimizing waste through lean manufacturing techniques, recycling scrap materials, and implementing zero-waste-to-landfill policies.

Water Conservation:

Using water-saving technologies, recycling wastewater, and implementing water-efficient processes.



Recycling

Product Take-Back Programs:

Establishing programs where consumers can return used products for recycling or proper disposal.

Material Recovery:

Investing in processes that efficiently recover and recycle materials from end-of-life products, such as electronics, batteries, and packaging.

Circular Economy Initiatives:

Designing products for easy disassembly and recycling, promoting the reuse of components, and minimizing single-use products.

Partnerships with Recycling Firms:

Collaborating with specialised recycling companies to ensure that materials are properly processed and repurposed.

Disposal

Biodegradable Materials:

Using materials that naturally break down in the environment, reducing the impact on landfills and ecosystems.

Eco-Friendly Packaging:

Reducing packaging waste by using minimal, recyclable, or compostable packaging materials.

Education and Awareness:

Educating consumers on how to properly dispose of products and packaging, encouraging recycling and responsible disposal practices.

Extended Producer Responsibility (EPR):

Taking responsibility for the end-of-life management of products, ensuring they are disposed of in an environmentally friendly manner.

By adopting these practices, Playsafe not only reduce our environmental impact but also often find cost savings and meet the increasing consumer demand for sustainable products.

Working Practices

During the contract, Playsafe will commit to undertaking the work in such a way to minimise disruption to nearby residents. Working practices will include the following –

- As a local supplier, we will be working remotely from our yard, so an onsite storage container will not be required.
- The site will be run and staffed by directly employed personnel of Playsafe Playgrounds who will all familiar with our working practices, how we conduct ourselves and expected performance levels.
- All delivery vehicles and staff vehicles will be parked and off loaded within the site access gate, leaving the track way clear during the working day.
- Deliveries to site will be made using our own fleet of small vehicles. Deliveries of plant, materials and play equipment will take place as required during site progression, meaning there will be no large delivery vehicles required during the works.
- No out of hours work throughout the contract



Spare Parts

The following listed parts are used as standard across our play range and are held in stock allowing us to offer a fast response to any defects that may occur -

<p style="text-align: center;"><u>General Fixings</u></p> <p>Stainless threaded bar (various sizes) Stainless steel nuts & washers (various sizes) Stainless steel bolts (various sizes) Stainless steel screws (various sizes)</p>	<p style="text-align: center;"><u>Slides</u></p>  <p style="text-align: center;">Various sizes held in stock</p>
<p style="text-align: center;"><u>Chain Cradles</u></p>  <p style="text-align: center;">Used for hanging ropes and nets</p>	<p style="text-align: center;"><u>Swing Hangers, Chains & Seats</u></p>  <p style="text-align: center;">Various swing seats, various seat hangers and stainless steel chains</p>
<p style="text-align: center;"><u>Ropes and Nets</u></p>  <p style="text-align: center;">Manufactured to order</p>	<p style="text-align: center;"><u>See Saw Parts</u></p>  <p style="text-align: center;">Stainless steel mounts, handles and see saw seats</p>
<p style="text-align: center;"><u>Timber Spacers (entrapment prevention)</u></p>  <p style="text-align: center;">Made of aluminium and available in various diameters</p>	<p style="text-align: center;"><u>Aerial Runway Parts</u></p>  <p style="text-align: center;">Various runway parts such as seats, buffers, carriages and tensioners</p>
<p style="text-align: center;"><u>Cross Screws (minimises end splitting)</u></p>  <p style="text-align: center;">M8 x various lengths - installed to the end of poles</p>	<p style="text-align: center;"><u>General Accessories</u></p>  <p style="text-align: center;">Handles, caps, T-nuts, stainless tubes, ladders, fireman poles</p>

Customer Liaison

General –

A pre start meeting will be required prior to starting any works on site.

The site will be marked out with the client on day 1 of the contract.

The site will be scanned and checked in conjunction with site service plans prior to a permit to dig being issued by the site supervisor.

A final sign off meeting will be held on completion of the works and prior to handing the site back to the client.

Points of Contact –

Clarification Questions – Chris Collyer – chris@playsafeplaysafeplaygrounds.co.uk – 01730 815 472

Tender Award – Chris Collyer – chris@playsafeplaysafeplaygrounds.co.uk – 01730 815 472

Contract Management – Mindaugas Paskevicius – mindaugas@playsafeplaygrounds.co.uk – 01730 815 472






Notes: Prices assume all of the above is made as one order (options excluded), are subject to good site access, a site survey and assume no underground services or obstructions which may all alter the final cost. Splitting a quotation may be subject to a price change.

Service plans of the working and surrounding area will be required a minimum of 1 week prior to starting works. These should be provided by the client. Playsafe can obtain service plans at an additional cost, this may delay commencement of works if sufficient notice to provide is not given (3-4 weeks).

All prices are excluding VAT and valid for 21 days.
Terms: To be confirmed at point of order.



Guarantee Certificate





	<ul style="list-style-type: none"> • Structural Stainless Steel
	<ul style="list-style-type: none"> • Galvanizing • Stainless Steel Fixings • Stainless Steel Chains
	<ul style="list-style-type: none"> • Climbing Holds • HDPE Panels • Springs
	<ul style="list-style-type: none"> • Swing Seats • Rubber & Polyurethane Components • Bearings • Nets • Ropes
	<ul style="list-style-type: none"> • Installation Works by Playsafe Playgrounds
<p>Playsafe Playgrounds Lifetime Philosophy - In addition to the stated warranty periods, any customer concern, regardless of age of the product, is fully investigated, and free of charge components supplied in circumstances where it would be reasonable to expect a greater life from any given part. The philosophy however does require the equipment to have been adequately maintained by the customer in order to avoid failure as a result of damage sustained outside normal wear and tear.</p> <p>Warranty Exclusions - Vandalism, misuse, discolouration and failure as a result of poor maintenance or installation by others.</p> <p>Care & Maintenance Plans - These are available upon request, please contact the head office 01730 815 472</p>	

All prices are excluding VAT and valid for 21 days.
 Terms: To be confirmed at point of order.



Dylan Group (Sister Company) Play Equipment Specification

- Constructed from **304 stainless steel**.
- Stainless steel fixings are used throughout the manufacture.
- Steel core play grade ropes available in 6 x standard colours;
- All equipment is manufactured by [Dylan Play](#) to current BSEN standards.

<p>Stainless Steel Rope Fixings</p> 	<p>Ropes and Nets</p> 
<p>Timber Spacers (preventing toggle traps)</p> 	<p>Cross bolted prevents splitting</p> 



The mark of
responsible forestry
FSC® C007915

All prices are excluding VAT and valid for 21 days.
Terms: To be confirmed at point of order.



The mark of
responsible forestry
FSC® C007915

PLAYSAFE SAFETY SURFACING

Wet-pour

This Playsafe safety surface is constructed of bonded rubber mixed on site using specialist equipment to produce a dense, consistent texture. It is then 'wet laid' to exacting standards.

The base on which the rubber surface is laid is either non-fines concrete or MOT Type 1, dependent on the depth of surfacing required for each area.

The top layer (wearing course) is Ethylene Propylene Diene polyethylene-modified rubber (EPDM) which is available in black, red, green, blue, beige, purple, eggshell, brown and yellow. A flecked pattern can also be achieved by mixing black with any of the other colours. To add to the play value of playgrounds, colourful graphics can be designed into the surfacing to individual requirements. The surface is slip-resistant and non-abrasive to young limbs.

Some coloured wetpour may appear to discolour when exposed to direct UV rays. This is due to the binder and cannot be avoided. After a period of use the top film of binder will wear away and the wetpour surface will return to its intended colour. This period maybe several months depending on the amount of use.

Different areas beneath the equipment are laid to differing thicknesses to provide the necessary impact absorbency. The correct thickness and area are determined by the Free Fall Height (CFH) of the equipment to be installed. Wet pour safety surfacing can be laid around complex configurations of playground equipment and ground contours. It is virtually maintenance free.

New wetpour surfacing is guaranteed for a period of 5 years against defects in materials and workmanship from date of invoice.

The above guarantees do not include any of the following – **repair works**, cosmetic issues e.g. fading colours or any discolouration due to weathering, new to old wetpour joints, misuse, neglect or accident and damage due to movement of base materials not installed by Playsafe. Any damage resulting from vandalism, abnormal use or lack of maintenance is not covered by this guarantee. Any shrinkage to the edges as this is a known factor with the flexibility of rubber expanding and contracting from warm to cold temperatures.

Defects must be promptly reported to the company and the company must be allowed access to the surface within normal business hours to inspect/repair any defect;

The customer must have made full payment for the surface in accordance with the conditions of our quotation/contract between the company and the customer for the supply and installation of the surface (including those as to time of payment);

For the avoidance of doubt, this warranty does not confer any rights on the Customer, or impose any liability on the Company, other than those expressly set out above and does not cover any claims for indirect or consequential loss or damage arising out of defect;



PLAYSAFE PLAYGROUNDS LIMITED

TERMS AND CONDITIONS

1. The Client is the Client named overleaf. The Contractor is Playsafe Playgrounds Limited.
2. These terms and conditions form part of the quotation. The quotation, once accepted, will form a contract between the Client and the Contractor.
3. Time is not of the essence. The date agreed for completion is subject to alteration in the event of delays occurring for reasons beyond the control of the Contractor including, but not limited to, inclement weather, strikes or lock outs affecting the Play industry, or additions or variations to the works described in the quotation.
4. If the Client wishes to make any alterations or additions to the quotation they should notify the Contractor. The Contractor will then supply a quotation for a new price which is to be accepted in writing by the Client before any such altered or additional work is carried out.
5. The prices stated in the quotation are exclusive of VAT. VAT will be charged at current rates, where applicable.
6. Pro-forma unless credit terms are otherwise agreed or stated. Where the work covered by the quotation exceeds four (4) weeks, the Contractor shall from time to time render interim accounts to the Client, and such interim accounts shall be paid by the Client forthwith on delivery of such accounts. The Contractor reserves the right to charge interest at the rate of 20% per annum on any account outstanding for longer than four (4) weeks, such interest to run from the date of such invoice.
7. Prices valid for twenty one days from date of quotation. Please confirm quoted prices after this date.
8. Credit references will be taken upon receipt of first order for Clients without accounts with the Contractor.
9. Title of Goods supplied or installed does not pass to the purchaser until full payment has been received.
10. All goods offered are subject to availability.
11. Except as expressly agreed the Contractor shall provide all labour, materials and equipment necessary for the proper execution of the work.
12. Adequate and suitable access, including working area(s) must be maintained at all times for all necessary plant, equipment and vehicles. Vehicle access of 3 metres wide x 3 metres high to at least 25 metres from site, and access of 1.5 metres wide into the work area.
13. NO liability will be accepted for any failure of surfacing due to foundation work faults not executed by the Contractor.
14. The Contractor reserves the right to alter the specifications without prior notice.
15. Cancellation charge will be levied on all cancelled orders to cover relevant handling and administrative costs.
16. Irrespective of any insurance taken out by the Contractor, the existing structures together with the contents thereof owned by the Client or for which he is responsible and the works and all materials and goods delivered thereto, placed on or adjacent to the works intended therefore (except plants, tools and equipment owned or hired the Contractor) shall be at the sole risk of the Client as regards theft, loss or damage by fire, lightning, explosion, storm, tempest, flood, apparatus or pipes, earthquake, aircraft or other aerial devices or articles dropped there from, riot or civil commotion. The Client shall maintain proper and adequate insurance against all such risks and shall on demand produce such policy of insurance and receipt for premiums paid for inspection by the Contractor.
17. The Client may but not unreasonably or vexatiously by notice of registered post or recorded delivery to the Contractor forthwith determine the employment of the Contractor under this contract if the Contractor shall make default in any one or more of the following respects:
 - a) If the Contractor without reasonable cause fails to proceed diligently with the works or wholly suspends the carrying out of the works before completion.
 - b) If the Contractor becomes bankrupt or makes any composition or arrangement with his creditors whether or not under the Insolvency Act 1986.

PROVIDED that the employment of the Contractor shall not be determined under clause 17 (a) hereof unless the Contractor has Continued the default for 7 days after receipt by registered post or recorded delivery of a notice from the Client specifying such a fault.

18. The Contractor may but not unreasonably or vexatiously by notice of registered post or recorded delivery to the Client forthwith determine the employment of the Contractor under this contract if the Client shall make default in any one or more of the following respects:
 - a) If the Client fails to make any payment to the Contractor on any account within 14 days of delivery of such account;
 - b) If the Client or any person for whom he is responsible interferes with or obstructs the carrying out of the works or fails to make the site reasonably available to the Contractor;
 - c) If the Client suspends the carrying out of the works for a continuous period of at least four (4) weeks;
 - d) If the Client becomes bankrupt or makes any composition or arrangement with his creditors whether or not under the Insolvency Act 1986 or has possession taken by or on behalf of any creditor of the property the subject to the works.

PROVIDED that the employment of the Contractor shall not determine under clause 18 (a) (b) or (c) hereof unless the Client has continued the default for 7 days after receipt by registered post or recorded delivery of a notice from the Contractor specifying such default.



UP TO
25
YEAR
GUARANTEES



TEAM SWING

ANTWERP PLUS MULTIPLAY UNIT

ADVENTURE TRAIL

SEESAW

FLAT & CRADLE SEAT SWING

AERIAL RUNWAY

ABU DHABI TODDLER MULTIPLAY UNIT

GRAVITY RIDER

Playdale **Playgrounds**



Quotation for
Newhaven Town Council - Eastside Park

Contents

- [Your Quote](#)
- [Additional Information](#)
- [Equipment Certifications](#)
- [Surfacing Certifications](#)
- [Construction Design Management](#)
- [The API](#)
- [Case Studies](#)
- [General Specification and Guarantees](#)
- [Surfacing Specification and Guarantees](#)
- [Conditions of Sale](#)



Stephen Honey
Newhaven Town Council
Council Offices
18 Fort Road
Newhaven
East Sussex
BN9 9QE

Playdale Playgrounds Ltd
Haverthwaite
Ulverston
Cumbria
LA12 8AE

✉ info@playdale.co.uk
☎ +44 (0)15395 31561

www.playdale.co.uk

★REVIEWS.io ★★★★★

Quotation Number: 0000101168
Quotation Date: 26-03-2025
Reference: 27572/ESU
Project for: Eastside Park

Dear Stephen

Please find enclosed our proposals for your play project as discussed.

The equipment featured will challenge and entertain the intended age range; providing endless play value, while requiring minimum maintenance.

All our equipment meets the European safety standard BS EN 1176/1177, and we guarantee each item has been independently tested and awarded the prestigious Kitemark to ensure our equipment is the safest on the market.

At Playdale, we take great pride in our commitment to delivering exceptional customer service. Customer reviews have positioned us firmly in the world-class category for customer service, achieving a Net Promoter Score (NPS) of 82—significantly surpassing the benchmark of 70 that defines world-class standards. Encouraging our customers to share their feedback highlights our outstanding NPS and inspires our team to continue doing what we do best: making smiles. We're proud to be the best-rated playground company of 2024, based on customer reviews, thanks to the positive feedback we receive from our valued customers.

We hope you are now ready to begin your Playdale experience by placing an order based upon the enclosed proposals. To do so, please complete the attached order form stating our quotation number and signing the plan (if applicable). Alternatively, if you would prefer to raise your own order, please ensure the quotation reference number is stated clearly on the form and that you have attached a copy of the signed plan to confirm your approval (if applicable).

If you wish to discuss any aspect of your play project, or have questions regarding what happens next, please do not hesitate to contact me on 07824463674 or by email at mike.stevens@playdale.co.uk.

We look forward to working with you.

Yours sincerely

Mike Stevens

Mike Stevens
Area Sales Manager
Playdale Playgrounds Limited



**Award Winner
2019**

Your Quote

Quotation Number: 0000101168

Product Code	Product Name	Quantity	Unit Price	Total
Important: This Quote is Subject to the Below Terms				
Equipment positioning is subject to receiving service plans (gas/electric/water/phone etc) - Please visit https://lsbud.co.uk or consult your Playdale Area Sales Manager for further details.				
Equipment				
STS	Stainless Steel Team Swing Frame Only with Shackles – SGF*	1.00	2,395.00	2,395.00
SEAT7	Orange Team Swing Seat & Chains for Team Swing Frame	1.00	1,499.00	1,499.00
CBBS	City Balance Beam	1.00	899.00	899.00
CCMB1/C	City Combo 1 (Chain)	1.00	3,158.00	3,158.00
CMWB	City Mini Web	1.00	1,444.00	1,444.00
CWBD	City Wobble Board	1.00	1,737.00	1,737.00
CSTP	City Rubber Step 1 No.	3.00	165.00	495.00
BC/ANT/A1	Antwerp Plus (Blue/Orange) Plastic Slide - SGF*	1.00	16,906.00	16,906.00
TSAW	Timber Seesaw (Incl. Tyres) - SGF*	1.00	995.00	995.00
CAR(23)	City 23m Aerial Runway	1.00	12,795.00	12,795.00
SJS/2/AW	Stainless Steel (2 Bay) Junior Swing Frame Only with Anti-Wrap Bearings – SGF*	1.00	4,486.00	4,486.00
SEAT1/AW	Flat Seat & Chains for Junior Swing Anti Wrap Frame	2.00	195.00	390.00
SEAT2/AW	Cradle Seat & Chains for Junior Swing Anti Wrap Frame	2.00	319.00	638.00
CGRD	Gravity Rider	1.00	1,595.00	1,595.00
QLCT	Abu Dhabi Plus (Blue/Orange) Stainless Slide - SGF*	1.00	12,084.00	12,084.00
Surfacing				
ED0050	Treated Timber Edging 100mm x 50mm (Profiled) (per metre)	226.00	14.00	3,164.00
QWP	m2 Wet Pour as per design (ref: 27572)	332.50	70.22	23,348.15
	Ancillary Items	0.00		

DEL008	Removal of foundation spoil, pallets, packaging and general rubbish.	1.00	513.50	513.50
DEL010	Container for on-site storage	1.00	925.00	925.00
DEL011	Welfare Facilities	1.00	350.00	350.00
Delivery & Installation				
DEL0002C	Delivery & Installation including excavation of existing ground (50m3) and removal from site and compacted stone subbase (34m3) for groundwork preparation for Wet Pour surfacing.	1.00	30,017.58	30,017.58
		NET	GBP 119,834.23	
		Less Discount	GBP 12,303.20	
		Total NET	GBP 107,531.03	

All the above prices are subject to VAT and are valid for a period of one month.

Please refer to our standard Terms & Conditions and our Additional Information.

Standard payment terms are 50% deposit paid within 7 days of placing an order.

Finance packages are available.

Definitions & abbreviations

SGF* Steel Ground Fixed - steel plates are concreted into holes in the ground to which timber is fixed.

TGF* Timber Ground Fixed - timbers are concreted into holes in the ground.

SF* Surface Fixed - equipment is bolted directly on top of concrete.

Subject to a site survey. If we have been unable to fully survey your site, your quotation will be 'subject to a full or further site survey.' This will only apply if Playdale are carrying out the delivery & installation and may mean that all associated/necessary works have not been specified or priced.

Additional Information Issue no. 10

What might affect your playground quote?

Removal of foundation spoil, pallets, packaging - If this is not priced for, spoil, pallets and packaging will be left on site for you to arrange disposal of. Any spoil arising from the installation will be incorporated wherever possible within the construction of your play area. Excess spoil will be left on site within 10 metres of the installation. The volume of spoil generated should not be underestimated. It can be substantial, and you will need to plan for its disposal.

Site Storage - This will be required to store equipment before and during your installation. Where possible we would prefer to provide a cost for a storage container, which you will see on your quotation. It will be assumed the container can be located within 30 metres of the construction site and form part of the site compound. If you have told us a container is not required, unless otherwise agreed, you will provide a safe and secure storage area within 30 metres of the construction site, ideally located at the site compound.

Welfare facilities - To fulfil the requirements of the Health & Safety at Work Act, welfare facilities will be required on site. Charges for welfare facilities will be shown on your quotation and will be costed based on the size of the job/project. If on site welfare facilities are not listed on the quotation it will be assumed you are able to provide these for the full length of the installation. Playdale can provide welfare facilities if required. Price on application.

Vehicle Access - This will be assessed during the site survey by a Playdale representative. Good vehicle access will be assumed if a wagon can reach within 30 metres of the site storage area/compound area. Should the vehicle access change following a Playdale site survey, please inform your Playdale representative.

Site Security – 2 metre high steel mesh (Heras) fencing will be supplied as part of the installation cost. Adequate fencing will be provided to surround the construction and compound areas if these are separate. Additional fencing requirements will require separate costs. Fencing will be left erect for duration of the Playdale contract only, if you require extended hire beyond this duration additional charges will apply.

Site Supervisor and Management Training- If contractors on site are required to hold qualifications for the Site Supervisor Safety Training Scheme (SSSTS) or Site Management Safety Training Scheme (SMSTS), an additional daily rate for site supervision will apply. However, as a visiting trade, this may not always be required.

Uplifted and reinstalled equipment - Whilst every effort shall be made to uplift and re-install the existing equipment, we cannot be responsible for any damage that may occur through dismantling & re-installing these products. Any extra parts required will be charged as an additional price.

Artwork Approval - The approval of bespoke artwork (e.g. entrance signs) will be required a minimum of 3 weeks before the start of installation work to ensure all parts are manufactured on time and to avoid additional carriage & installation charges.

Additional Information (continued)

The location of your new playground!

Unless otherwise stated this quotation assumes...

Level site - Levels are suitable for the equipment selected as defined in the equipment data sheets.

Soft dig - Holes can be easily dug without the need for machinery such as 'pneumatic breakers' or digging through tree roots e.g., not digging through concrete, rock or other hard material.

Easy access – 30 metres (or less) from delivery point to compound and 30 metres (or less) from compound to construction area. Vehicle access of more than 10 metres across grass/field, carrying down steps or through buildings is considered bad access. A cost contingency for the reinstatement of grass must be allowed for grass areas greater than 5 square metres.

Drainage - Adequate drainage of the site. No safety surfaces and groundworks undertaken by Playdale will affect the drainage of your play area. Should drainage be an issue please discuss with your Playdale representative.

Compacted ground - The ground where works are to take place is fully compacted. Unstable ground may cause undulations/sinking to the finished surface and de-stabilise equipment foundations.

Reinstatement - Little or no reinstatement of surrounding ground is required following installation. Small grass areas (less than 5 square metres) requiring reinstatement will be seeded unless otherwise specified. Reinstatement requirements should be discussed with your Playdale representative. Consideration should be given to access over grass and consider all likely weather.

Additional Information (continued)

So what do we need you to do?

Some notes to help fulfil your legal health and safety requirements...

Annual Inspection - In accordance with the children's outdoor play equipment safety standard BS EN 1176 an annual inspection should be carried out on all play equipment and safety surfacing with a written report. The cost for Playdale to provide this service is £260.

Post Installation Inspection - In accordance with the children's outdoor play equipment safety standard BS EN 1176 before use, an inspection should be carried out on all new play equipment and safety surfacing (or following significant maintenance work) with a written report. The cost for Playdale to provide this service is £390.

Recommended safety surfacing - In accordance with the children's outdoor play equipment safety standard BS EN 1176, the items within your quotation may require a safety surface to cover the full impact area suitable for the equipment fall heights.

Signage - In accordance with the children's outdoor play equipment safety standard BS EN 1176 all public playgrounds require an entrance sign giving specific safety information.

Site services plans - As part of Construction Design and Management (CDM) health and safety regulations, you are required to provide service plans of all utilities in the area where we are installing. This is simple to do and in most cases there is no cost. Plans should be provided to Playdale no less than 3 weeks prior to installation.

What else you may need to know...

Setting out/technical drawings to aid site preparation - If you are preparing an area for your playground prior to a Playdale installation, these drawings are essential to ensure the area is prepared correctly for the equipment and safety surfacing being installed. Costs will be incurred and/or BS EN 1176 safety areas may not be met if the site fails to meet our specification.

Site survey to review/inspect site preparation - If you are preparing your own groundwork or the preparation of groundwork is to be undertaken by others, a site survey by Playdale will need to be carried out to ensure that the groundwork has been prepared in accordance with our specification and in line with the requirements of BS EN 1176. Should they fail to meet our specification additional costs will be incurred.

Wet pour - If you are adding to or repairing an existing wet pour surface, we would advise that the new wet pour is in a contrasting colour to the existing wet pour. This is because we cannot guarantee that colours will match if the same colour is used again. Please note that the wet pour binder is subject to a very slight yellowing upon UV exposure which can cause some colours to slightly alter in appearance. When patching with new wet pour the adhesion between the new and old rubber cannot be guaranteed.



Additional Information (continued)

Making Changes

If you need to amend anything within your quote after checking the additional information, please contact your Playdale representative.

Any changes made to your quotation will affect the overall cost. Prices quoted are assuming the site will be the same as when surveyed by Playdale, if different at the time of installation, extra costs will be incurred. Please also refer to Playdale 'Terms and Conditions'.

Playdale Certifications

We have achieved Quality Management System 9001 and Environmental Management System 14001, in line with BSI standards. Every item manufactured by Playdale has been independently tested to comply with EN 1176.



BS EN ISO 9001:2008



EMS 14001:2004



BS EN 1176 - More than 400 pieces of play equipment



Agorespace - EN 15312, EN 1176





Surfacing Certifications

When providing a safe environment for your children to play in, the surface on which they play is particularly important. To meet the requirements of BS EN 1176 and BS EN 1177 Playdale recommends that impact absorbing surfaces must be installed beneath all equipment with a free height of fall greater than 0.6m.


All surfacing offered by Playdale has been independently tested to ensure full compliance with BS EN 1177 and BS 7188. The installation of each surfacing type is closely monitored through our ISO9001 quality system to ensure the required standards are constantly met.



Cushionfall



Grasslok



Weipour



Playdale Bonded Rubber Mulch

www.cst-global.com

TEST CERTIFICATE
THIS IS TO CERTIFY THAT THE PLAYGROUND SAFETY SURFACING SYSTEM

Cushionfall
submitted by
Giffels Recycling Ltd

Has been tested in accordance with BS EN 1177:2008 and gave the following results:

Layer depth (mm) falling	100	RTS (EN 1177)	2.00
	200		2.00

Date: 23rd July 2009

Signature: [Signature]
Teresa Marie Cunniffe
Operations Manager

Page 1 of 2

TEST CERTIFICATE
EN 1177:2008

This is to certify that the impact absorbing surface:

GrassLok™ (ECO)
500mm x 500mm x 25mm
Manufactured & Supplied by
Technix Rubber & Plastics Ltd

Has been tested in accordance with the following standards:

The sample demonstrated the following results:

Critical Fall Height (CFC)
to BS EN 1177:2008

500mm x 500mm x 25mm on concrete	1.3m	In excess of 3.0m
500mm x 500mm x 25mm on concrete with Technix Rubber 100mm underlay	1.0m	In excess of 3.0m
500mm x 500mm x 25mm on concrete with Technix Rubber 100mm underlay	1.7m	

Slip Resistance
to BS EN 12866:1995

Dry: 78 (PWT)
Wet: 78 (PWT)

Hot Spot Test - Ease of Ignition
to BS EN 4790:1992

Meets requirements

Date: 2nd December 2003

TEST CERTIFICATE
THIS IS TO CERTIFY THAT THE WEIPOUR IMPACT ABSORBING SURFACING

EPDM Playscape
submitted by
RTC Safety Surfaces Ltd.

Has been tested in accordance with BS EN 1177:2008 & BS 7188:1999 and gave the following result:

Horizontal Thickness (mm)	Critical Fall Height (m)	Critical Fall Height (m)
20	0.6	0.6
40	1.2	1.2
60	1.5	1.5
80	2.2	2.2
100	2.7	2.7
120	3.5	3.5

Date: 07 March 2011

Signature: [Signature]
Graham Tye MFC (UK) Director

Page 1 of 1

Certificate of Test

This certificate relates to the product:

Playdale Bonded Rubber Mulch 3.0

Manufactured by:

Playdale Playgrounds Ltd

The above product has been tested using the method described in EN 12733:02

The product gave the following critical fall height:

3.0m

Date: [Signature] A.L.G.P

The Certificate of Compliance should be used in accordance with Labosport Report LS01.13.2002. The surface should be tested, used and replaced in accordance with the manufacturer's requirements.

We have experienced Playdale

We have worked with schools & nurseries, community groups, local authorities and housing developers for 40 years designing exciting and innovative outdoor play areas.

Here are some playground projects we have completed along with the customers' comments about working with Playdale.

Yarlside Academy, Barrow-in-Furness, Cumbria



"Once again I'm very happy with the service that Playdale have provided from start to finish. The equipment is made to a high standard and is excellent quality. Highly recommended!"

Janine Pierce, Headteacher

Wingham Parish Council, Wingham, Kent



"Our newly refurbished site offers such a lot of choice and fun for children aged 2-14 and has already proved successful, being used on a daily basis. I love the mixture of timber and stainless steel equipment, the quality is good and we now have such a good range of items to cater for all needs and abilities."

Kerry Coltham, Parish Council Clerk

We have experienced Playdale (continued)

Weymouth Sea Life Adventure Park, Dorset



"We have been delighted with the work Playdale have done to bring to life Caribbean Cove at Weymouth SEA LIFE Adventure Park. At all stages of design, installation and commissioning we were able to collaborate to ensure the finished product met the overall brief. The quality and range of choices we had far exceeded our expectations and our young guests have had a thrilling time exploring all the great play opportunities that have been created to suit a wide range of ages."

Tamsin Mutton-Mcknight, General Manager

Clay Farm housing development by Countryside Properties, Trumpington, Cambridgeshire



"Playdale worked closely with us through all aspects of the design and supply/installation of this play area. This included providing information to assist in dialogue with the local planning authority, and liaison with the design team to ensure the planning and design drawings were fully coordinated. Works were then completed on-site in a professional manner in line with our programme requirements. I have been very pleased with the professional service received throughout this project."

Ben Hunt, Associate Director

CDM...a most important acronym!

The installation of your play area is a crucial element to the success and onward life of it. Playdale Playgrounds is committed to carrying out all aspects of our work safely and complying with all relevant health & safety regulations.

Construction Design Management (CDM) is an important and relevant piece of legislation for a playground installation as it falls under the title of 'construction' because the end result is a permanent structure.


Everyone involved has a part to play.



It's so important to choose a **responsible, reputable company** to ensure your project runs **safely and smoothly**.

Playdale has the highest levels of compliance with **all Health and Safety regulations...you're in very safe hands!**

Going Underground!



Buried services...what are they and what's their importance in a play area project?

- Buried services (or underground services) are cables and pipes buried underground that may include lines for electricity, gas, water and sewage.
- They are an extremely dangerous hazard to digging activity during the construction and installation of play areas, whether urban or rural.
- Any damage to underground services is not only potentially life-threatening but can also cause serious service damage.
- It is imperative that plans are obtained about ALL buried services in your area before any work to the play area begins.



CDM (continued)

How do we get these plans?

If you don't already have plans showing the location of buried services you can get hold of them really easily by using this link

www.lineearchbeforeudig.co.uk

You can then simply access the service plans for your playground area. We can then use these to help us design your perfect (and perfectly safe) play area. Digging will be done safely and you've carried out your CDM responsibility. It really is that easy!

We don't want the play area installers to suffer fatal or severe injuries nor do we want to be the ones to cut off the electricity supply to your village (!)

"As the client, what responsibilities do I have?"

Well, we've highlighted a few for you here:

Make sure:

- Enough time and resources have been allocated for the project
- All the necessary key people (duty holders) required for the 'construction' have been appointed
- Important information such as the location of buried services has been obtained and passed to the relevant people
- Welfare facilities are provided

You can read more about CDM and the responsibilities of all involved by visiting the Health & Safety Executive website using this link:

www.hse.gov.uk/construction/cdm/2015/responsibilities.htm

Working together...

...for a fantastic end result! You will soon have wonderful new playground equipment that is built to last and here to stay, made and installed using the very best materials and processes. It will be enjoyed by many children for years to come.

Playdale work with hundreds of customers just like you on a daily basis, dealing with these regulations. We are here to help you with ANY help and guidance you may need.

Please contact your local Playdale Area Manager using the contact details earlier in this document for more information.

API Supporting the UK Play Industry

The Association of Play Industries (API) is the lead trade body within the UK play sector representing the interests of manufacturers, installers, designers and distributors of both indoor and outdoor children's play equipment and play area surfacing.

Founded in 1984, the Association of Play Industries (API) is the lead trade body for the UK play sector and is known as the "voice of the play industry".

Play delivers well-documented physical, developmental, emotional, behavioural, social and environmental benefits and the API campaigns at the highest levels for policy recognition of the value of play.



Play matters

Obesity and inactivity are rising and young people's relationship with the outdoors is dwindling. Adopting an active lifestyle early in life encourages healthy habits in adulthood which means providing children with time, space and facilities to enable their natural energy.

Provision of high-quality public play facilities has a vital contribution to make in tackling these challenges, whilst also addressing wider societal problems. Every child has a fundamental right to play (Article 31, United Nations Convention on the Rights of the Child), but there are many local communities for whom that right is under threat.

From sensory spaces for toddlers to skate parks, school playgrounds to Multi-Use Games Areas for local authorities, Parkour and social spaces for teenagers, the play spaces created by API members are engaging, flexible areas with fun, stimulating and challenging equipment that appeals to children of all ages and abilities. Adding a well-designed, well-maintained play area brings immeasurable benefits to local families.

Our reputation

API member companies are the UK's leading experts in play provision. They design, create and install high-quality play equipment using certificated products and provide advice on inspection, maintenance and repair. They operate to the highest standards, abide by a strict Professional Code of Conduct, comply

with BSEN 1176 and other relevant safety standards, and are rigorously and regularly monitored and credit-checked for financial security and stability.

Our support

The API website www.api-play.org provides a wide range of resources, information and links about fundraising, planning and project guidance, design, safety and risk, with full member details including examples of recent work.

Our members

The API membership represents approximately 85 per cent of UK play industry companies with a £166.8 million turnover in 2014. It operates under the umbrella of the Federation of Sports and Play Associations (FSPA), the national trade body responsible for representing 14 Associations in the UK's sport and play industries.

In addition

The API is an active member of wide-ranging organisations which campaign to improve the health and well-being of children including the All Party Political Group for a Fit and Healthy Childhood, Children's Play Policy Forum, Children's Play Safety Forum, Sport and Recreation Alliance, The Register of Play Inspectors International Ltd (RPII) and the Federation of European Play Industry (FEPI)



Here are 10 good reasons why it pays to choose an API member...

"more than just a logo"

The API is an active member of wide-ranging organisations which campaign to improve the health and well-being of children including the All Party Political Group for a Fit and Healthy Childhood, Children's Play Policy Forum, Children's Play Safety Forum, Sport and Recreation Alliance, The Register of Play Inspectors International Ltd (RPII) and the Federation of European Play Industry (FEPI)

1 Reliability and reputation

API members are the UK's leading play companies. They are professional, trustworthy and operate to the highest standards. Choosing a cut-price operator faces the risk of inferior products, poor quality installation and service, over-sold guarantees and warranties, and financial uncertainty.

2 Financial stability

API members are financially sound. Their financial stability and security are monitored regularly, thoroughly and rigorously. Choosing a supplier with a poor financial record, credit score or trading history can cause major problems.

3 Credibility

API members abide by a strict Professional Code of Conduct and are committed to a high standard of customer service and business practice.

4 Experience

API members readily provide evidence of recent, relevant previous work, case studies and references.

5 Play value

API members believe the benefits of managed risk in play are indisputable. The API Charter ensures they design fun, high-quality play spaces with plenty of challenge built in.

6 Expertise

API members are play experts. They design, create and install high-quality play equipment, provide expert advice and have the knowledge and resources to carry out full consultations with all stakeholders involved in play projects.

7 Compliance

API members are committed to maintaining and promoting BSEN 1176 and other relevant safety standards, and provide evidence to demonstrate compliance.

8 Partnership

API member companies believe that investment in high-quality play equipment provides a lasting legacy for children and communities. As a result, they are committed to long-term service and support for customers.

9 Safety

API member companies recognise the importance of safety and provide expert advice on maintenance, repairs and inspection. They commission Post-Installation Inspections to ensure the safe operation of new play areas, undertaken by a registered and certificated annual outdoor inspector from the Register of Play Inspectors International (RPII).

10 Technical Mediation

The API actively encourages customer feedback on member projects and offers a FREE mediation service for members and their customers to resolve any technical disputes.



General Specification and Guarantees - 'Timber & City' Issue 09

All Playdale manufactured play equipment has been independently tested by BSI or TUV and carries certification as proof of compliance to the European Playground Safety Standard EN 1176. Our design layouts and installations also comply with the European Standards EN 1176 and EN 1177.

All raw material and bought-in components we use in the manufacture of our equipment comply with the relevant British / European or ISO Standards.

- **Timber Poles**

Machine rounded, laminated pine from managed forests. These are used throughout our 'Timber' range. All timber is pressure treated in compliance with EN 351-1 and EN 335-2. - ***Covered by a 20-year guarantee against structural failure due to rot or infestation when above ground level (i.e all horizontal and vertical timbers are installed in conjunction with Playdale's steel ground fixing brackets). Covered by 15 year guarantee against structural failure due to rot or infestation when timber poles are installed directly into the ground.****

- **Steel Ground Fixings**

Made from heavy duty, corrosion resistant, galvanised steel. - ***Covered by a 20-year guarantee.***

- **Structural Stainless Steel**

Used throughout our 'City' range. All structural pipe and box section made from 3mm thick 304 grade stainless steel. - ***Covered by a 25-year guarantee against failure.***

- **Sawn Timber**

Comes from high quality European Redwood and is pressure treated after machining. - ***Covered by a 15-year guarantee against structural failure due to rot or infestation.***

- **Galvanised Steel Frames**

Made from strong, corrosion resistant galvanised steel to create floors and brackets. - ***Covered by a 15-year guarantee.***

- **Colour Coated Steelwork**

This is shot blasted and primed with corrosion inhibiting zinc rich epoxy primer and then coated with a high performance Polyaspartic top coat with total coating thickness of 250µm. This meets the criteria of ISO 12944 for C4 / C5 environments. - ***Covered by a 5-year guarantee.***

- **Platforms and Floors**

On towers, playhouses & rotating platforms the floors and platforms are made from 13mm thick Compact Grade Laminate with a textured grip pattern. This material is extremely tough, vandal resistant, wear resistant, chemical resistant, fire resistant and will not rust. - ***Covered by a 10-year guarantee.***

- **Coloured Panels and Roofs**

These are produced from 12mm thick Compact Grade Laminate. This material is extremely tough, vandal resistant, wear resistant, chemical resistant, UV protected, fire resistant and will not rust. - ***Covered by a 10-year guarantee.***

- **Stainless Slides**

These are constructed from a 2mm or 1.5mm stainless steel sheet with continuous welds on all seams. - ***Covered by a 10-year guarantee.***

- **Plastic Slides**

Our plastic slides are constructed from Polyethylene moulded sections with bolted joints. - ***Covered by a 5-year guarantee.***

- **Rope Nets, Rope Ladders, Suspension Bridges and Pull Up Ropes**

All made from high quality, vandal resistant Steel Cored Rope. - ***Covered by a 2-year guarantee.***

- **Chains**

Constructed from high grade 316L stainless steel. - ***Covered by a 3-year guarantee.***

- **Swing Seats**

Flat, Cradle and Button seats are moulded from high quality rubber which encases inner aluminium / steel frames. The Team Swing seat is constructed from moulded Polyethylene with a stainless steel outer ring encased with high quality rubber impact trim. All swing seats are impact tested in full compliance with EN 1176-2. - ***Covered by a 2-year guarantee.***

- **Bearings**

Standard Junior and Cradle Swing bearings consist of high wearing, self lubricating oilite bronze bushes and a stainless steel machined shackle pin. Team Swing bearings consist of self lubricating polymer bushes with stainless steel machined shackle pins. Anti-wrap swing bearings consist of custom designed self lubricating Acetal bushes with an outer stainless steel strap. Other bearings are high quality sealed bearings. - ***Covered by a 2-year guarantee.***

- **Bolts**

Bolts used in our 'Timber' range are made from high corrosion resistant treated, high tensile steel, or stainless steel for high stress applications. All standard nuts and bolts are concealed by our custom made, durable plastic caps. The caps give a tamper resistant and smooth fixing point. Security bolts and heavy duty security coach screws are made from stainless steel.

Bolts used in our 'City' range are made from 304 grade stainless steel. All nuts are nylock nuts of grade 304 stainless steel and are concealed by our custom made, durable plastic caps. The caps give a tamper resistant and smooth fixing point. Security bolts made from 304 grade stainless steel are also used throughout the range.

Structural Bolts are covered by a 10 year guarantee. All other fixings are covered by a 5 year guarantee.

- **Plastic Bolt Covers & Caps, Plastic Timber Caps and Plastic Washers**

These are made from Nylon, High Density Polyethylene or Polypropylene. - ***Covered by a 5-year guarantee.***

- **Scramble Net / Rope Climb Ground Anchors/ Moulded Seats/ Moulded Handles**

All moulded from EPDM Rubber & tested in full compliance with EN 1176 & EN 1177. - ***Covered by a 2-year guarantee.***

- **Suspension Joints**

Constructed from a painted steel outer and inner sections with a high quality natural rubber suspension. - ***Covered by a 2-year guarantee.***

- **Springs**

Manufactured from 18mm or 19mm diameter high quality spring steels. After coiling, the

spring is phosphorised and then coated with a tough, durable polyester paint. - **Covered by a 5-year guarantee.**

- **Springers**

Springers are all independently tested by TUV and carry the GS mark as proof of compliance to EN 1176. - **Covered by a 5-year guarantee.**

- **PlaySafe**

*Our partner guarantees the coating will last for at least 60 days on all surfaces of a standard playground as long as it has either been installed by an approved installer or by a competent person who has completed their short training programme. Our partner will provide a testing chemical which demonstrates (via a colour change) if the coating is active or not. To claim under our guarantee you must provide dated photographic evidence of the coating being applied and successfully tested and then another photo of an unsuccessful test within the same area. It's important to note that the testing chemical can stain and should not be applied to any areas which this could cause an issue. In the unlikely event that the coating is proved to not be active after 60 days, our partner will provide replacement coating free of charge - **Covered by a 60 day guarantee.**

All guarantees cover failure arising from material or manufacturing defects only. General wear and tear through use, damage caused by vandalism or defects resulting from work carried out by a third party are not covered by our guarantees.

Guarantees cover the full cost of the faulty parts. Any additional costs covering delivery, fitting and any associated surfacing costs are excluded.

All parts are covered only for the original guarantee period. Once a guarantee period elapses, the guarantee on any replaced or repaired part also expires.

*The guarantee on timber poles only covers machine rounded laminated timber poles. Non-laminated machine rounded timber poles used for landscaping are covered by a 5-year guarantee against structural failure due to rot or infestation. All timber infestation guarantees exclude structural failure as a result of a termite attack.

Email: customercare@playdale.co.uk

Tel No.015395 39771

General Specification and Guarantees - 'Installation & Surfacing' Issue 04

All Playdale manufactured play equipment has been independently tested by BSI and is kitemarked as proof of compliance to the European Playground Safety Standard BS EN 1176. Our design layouts and installations also comply with the European Standard BS EN 1176. All safety surfacing specified and supplied by Playdale has been independently tested and certified to EN 1177 and BS 7118.

- **Equipment Foundations**
All as specified in individual equipment 'Installation Instructions' - **Covered by a 5 year-guarantee against failure. Note: this guarantee excludes movement in foundations caused by ground movement or ground shrinkage.**
- **Equipment Assembly**
All as specified in individual equipment 'Installation Instructions' – **Assembly errors covered by a 1-year guarantee.**
- **Groundworks**
As specified in individual contract - **Covered by a 1-year guarantee.**
- **Stone Subbases (inc. edgings)**
As specified in individual contract - **Covered by a 1-year guarantee. Note: this guarantee excludes subsidence caused by subsoil ground movement or subsoil ground shrinkage.**
- **Landscaping**
As specified in individual contract - **Covered by a 1-year guarantee.**
- **Steel Fencing**
As specified in individual contract - **Covered by a 1-year guarantee.**
- **Litter Bins**
As specified in individual contract - **Covered by a 1-year guarantee.**
- **Wet Pour**
From hard wearing EPDM rubber granules – test certificates in accordance with BS EN 1177 & BS 7188 available for all thicknesses - **Covered by a 5-year guarantee against a defect on the surface.**
- **Adhesion of wet pour surface to PCC kerbing**
- **Covered by a 5-year guarantee.**
- **Adhesion of wet pour surface to Playdale treated timber edging**
- **Covered by a 1-year guarantee.**
- **Adhesion of wet pour surface to flexi-edge edging**
- **Covered by a 1-year guarantee.**
- **Adhesion of wet pour surface to existing tarmac, including a cut and chase edge**
- **Covered by a 1-year guarantee. Note: this guarantee excludes failure caused as a result of a structural instability in the existing tarmac.**
- **Adhesion of wet pour surface to existing wet pour**
- **Excluded from guarantee, because failure on the adjoining seam can occur as a result of a structural instability in the existing wet pour, OR through differing contraction and expansion rates of different types of wet pour of varying ages.**
- **Rubber Tiles**
Prefabricated 1m x 1m rubber tiles. Test certificates in accordance with BS EN 1177 & BS 7188 are available for all thicknesses - **Covered by a 5-year guarantee against a defect on the surface.**



- **Adhesion of rubber tiles to any edging**
- **No guarantee available.**
- **GrassLok**
0.5m x 0.5m interlocking PVC / rubber matrix tiles - **Covered by a 10-year guarantee.**
- **Matta**
Open mesh tile surface constructed from prefabricated, interlocking tiles 500mm x 500mm made from recycled rubber and PVC - **Covered by a 5-year guarantee.**
- **Cushionfall**
Produced from recycled timber products - **Natural product covered by a 3-month guarantee.**
- **Bark**
High quality graded pine bark - **Natural product covered by a 3-month guarantee.**
- **ChildsPlay**
Hard wearing and durable sand filled '3d' fibred synthetic grass carpet - **Covered by a 5-year guarantee.**
- **Synthetic Grass**
Multi-toned, textured synthetic grass consisting of soft polypropylene fibres. There are two types - 'filled' and 'non-filled'. The 'fill' is a sterile recycled rubber granule. This product is used in conjunction with expanded polypropylene shock pads when required - **Covered by a 5-year guarantee.**
- **Bonded Rubber Mulch**
Colour coated shreds from recycled solid rubber bound with a specially formulated PU binder. This product is used in conjunction with expanded polypropylene shock pads when required - **Covered by a 5-year guarantee.**
- **Tarmac**
As specified in individual contract - **Covered by a 1-year guarantee.**
- **Quad Pavers**
20mm thick, hard wearing, black rubber tiles bonded onto a 50mm thick concrete paving slab (600mm x 600mm) - **Covered by a 3-year guarantee.**

All guarantees cover failure arising from material, manufacturing or installation defects. Normal wear and tear, and damage caused by vandalism are not covered by our guarantees.

Guarantees cover the full cost of rectifying the fault specifically covered by the guarantee. Additional works or associated costs may be excluded at Playdale's discretion.

Email: customercare@playdale.co.uk

Tel No. 015395 39771

Conditions of Sale

1 - General

- 1.1 In these conditions:
 - The "Customer" shall mean the corporate entity firm or person seeking to purchase the Goods from the Company;
 - The "Company" shall mean Playdale Playgrounds Limited;
 - The "Contract" shall mean any contract of Goods or Services made between the Company and the Customer;
 - The "Goods" shall mean the products articles or things to be sold by the Company
 - The "Services" shall mean any services provided by the Company to the Customer (whether or not the Customer shall purchase Goods);
 - The headings to the clauses shall not affect the construction of these conditions;
 - The use of the plural shall include the singular and the use of the singular shall include the plural.
- 1.2 These conditions shall be incorporated into each and every Contract made between the Company and the Customer.
- 1.3 These conditions shall apply to the exclusion of any terms or conditions put forward by or on behalf of the Customer and in the event of any conflict or inconsistency between these terms and conditions of trading and the terms of your order, these terms and conditions prevail, unless otherwise agreed by the Company in writing.
- 1.4 These conditions shall not create any agency or partnership between the Company and the Customer or any third party.
- 1.5 No person in the employment or acting otherwise as agent of the Company or purporting so to do has authority to accept Orders or supply Goods in any condition other than those contained herein or to vary these conditions in any way whatsoever. Previous dealings between the Company and the Customer shall not vary or replace these conditions or be deemed in any circumstances whatsoever so to do.
- 1.6 No purported variation or waiver of or addition to these conditions, whether written or oral or in respect of representations or statements made, shall have effect unless and until authorised in writing by a manager of the Company.
- 1.7 Quotations, whether written or oral, submitted by the Company shall be deemed to be an invitation to treat and not an offer.

2 - Acceptance

- 2.1 No order shall be deemed accepted by the Company unless received in writing. Only when the Company has notified the Customer of acceptance of the written order by despatch of the order acknowledgement shall the contract between the Company and the Customer be deemed to be made.
- 2.2 Any quotation issued by the Company shall be open for acceptance at any time during the validity period shown on the quotation. If unstated the validity period is 30 days. After the expiration of the validity period of the quotation the quotation is deemed to have been withdrawn by the Company.
- 2.3 Any quotation is made on the understanding that it will be accepted in full. In the event of partial acceptance of the quotation by the Customer a written revised quotation may be sent by the Company to the Customer. Any description or specification or drawing or particulars accompanying the quotations or contained in the Company's marketing material shall not form part of the Contract.
- 2.4 It is the Customers responsibility to check the order acknowledgement to ensure it is correct and notify the Company of any mistakes in writing immediately.
- 2.5 Additions or alterations to Orders, however made, shall not be binding until confirmed by the Company in writing.
- 2.6 The Company reserves the right to change products, specifications or prices without prior notice.

3 - Prices

- 3.1 All prices quoted are net and subject to VAT at the rate ruling at date of despatch.
- 3.2 Prices will be held firm for deliveries made during the validity period of a quotation, but thereafter, or if no validity period is stated, we reserve the right to invoice at the price ruling at date of despatch.
- 3.3 Prices do not include installation costs unless stated.
- 3.4 We reserve the right to make an increased charge in the event that the completion of delivery and installation is delayed by reason of the Customer's instructions or other reason beyond the Company's control.
- 3.5 If the Customer requires alteration to the order, the price will be varied accordingly and the Company shall be entitled to recover any ancillary costs incurred.

4 - Title

- 4.1 Risk in the Goods shall pass on delivery.
- 4.2 Notwithstanding the foregoing the Title of Goods supplied by the Company shall not pass to the Customer until payment is made in full.
- 4.3 In case of default in payment the Company shall be granted access rights in order to repossess the goods.
- 4.4 If the Customer delivers the Goods to a third party before payment has been made in full to the Company, the Customer shall hold all sums received for such goods as trustee for the Company and shall remit them to the Company on receipt.

5 - Delivery

- 5.1 Any date quoted for collection and delivery is an estimate only. The Company shall not be liable for any failure to meet any such estimate nor for any loss, whether financial or otherwise resulting directly or indirectly therefrom.

- 5.2 Any alterations to the order by the Customer may delay the completion of the order.
- 5.3 The Customer must examine the Goods and notify the Company of any defects or shortages within 5 days of delivery.
- 5.4 If the Customer is not available or prepared to accept delivery the Company may leave the Goods on the premises without responsibility for loss or damage to them.
- 5.5 If the Company has been delayed by the Customer for delivery of Goods, the Company has the right to charge a weekly holding charge of 2.5% of the Goods.

6 - Installation

- 6.1 This clause shall apply only where the Company and Customer have agreed in writing that the contract shall include the cost of installing Goods.
- 6.2 Any date quoted for commencement or completion of installation is an estimate only. The Company shall not be liable for any failure to meet any such estimate nor for any loss, whether financial or otherwise resulting directly or indirectly therefrom. The time for completion of installation shall not be of the essence.
- 6.3 Any price quoted for installation is calculated on the basis that the site is available to start on the agreed date and that work can be carried out continuously during working hours. In the event that the start of the work is delayed or the work is disrupted by interruptions or any other cause whatsoever, or by the Customer's instructions or lack of instructions, the Company shall be entitled to charge a reasonable amount for any extra cost incurred. In addition, where the Customer delays an installation the Company reserves the right to charge storage at a rate of 2.5% per week or part thereof of the price of the goods in storage.
- 6.4 Where installation has been quoted the price assumes digging in a grassed/tarmac area, but should difficulties be encountered underground in our excavations, we reserve the right to adjust our costings accordingly.
- 6.5 Should there be any alterations to the Safer Surfacing dimensions from the original quotation, the Company reserves the right to re-quote or adjust the price accordingly.
- 6.6 The Company shall notify the Customer when installation has been completed. Installation is deemed to be complete if the Goods are fit for use notwithstanding minor omissions or defects.
- 6.7 Upon notification by the Company that installation is complete, the Customer shall sign a Document provided by the Company acknowledging that the Goods have been installed in accordance with the contract. If the Customer fails to do so, provided the Goods and the installation thereof are to the reasonable satisfaction of the Company, the Document will be deemed to have been signed by the Customer.
- 6.8 The Customer shall indemnify the Company against all costs and claims arising from damage or injury to persons or property occurring during the course of installation unless such damage or injury shall be proved to have been caused solely by the negligence of the Company, its servants or agents.

7 - Terms of Payment

- 7.1 Unless expressly stated otherwise in writing, invoices will be issued:
 - i) For the supply of goods only orders, 100% of the price is due upon manufacture of goods.
 - ii) For the supply of goods and services orders, 50% of the total order value is due upon manufacture of goods and the remaining balance in accordance with an agreed upon payment plan but no later than full invoicing upon completion of services. The payment of the total value of each invoice shall be made within thirty days starting from the date of the invoice unless expressly agreed otherwise.
- 7.2 Where special arrangements are made accounts are due for payment thirty days from the date of invoice. Proforma and deposits can be requested by the Company at any time, subject to Customer credit checks and review of historical payments. The Company does reserve the right to cancel such special arrangements at any time and demand payment of all outstanding sums forthwith.
- 7.3 For services to be carried out over a period exceeding four weeks, the seller reserves the right to invoice the Customer on a weekly basis. An initial invoice will be issued upon dispatch of the products followed at weekly intervals by invoices for completed stages of the services. In the event that any invoice is not paid the seller shall be entitled at its discretion to suspend the services until payment of all outstanding sums is received or to terminate the contract. Where special discount terms are quoted, the terms must be strictly adhered to otherwise the account will be charged net.
- 7.4 If for any reason the Company does not received unconditional payment in full within 30 days of invoice, whether under any terms of credit or otherwise, interest shall accrue on all sums due and outstanding at 8% per annum above the Bank of England base rate, such interest to run from day to day to accrue before as well as after any judgement.
- 7.5 Export Sales: special terms will be quoted for export deliveries.
- 7.6 If a retention is applicable, the retention period will be 12 months from the Completion Date unless an amendment is agreed with the Company prior to the sales order submission. Clause 7.4 will be enforced for outstanding balances after the expiration of the 12-month period.
- 7.7 The Customer shall not be entitled to withhold payment of any amount payable to the Company by reason of any dispute or claim by the Customer (whether or not the Goods or Services are to be provided by instalments and in such case each instalment is deemed to constitute a separate and distinct Contract). In the case of any short delivery to the Customer or minor faults arising during the installation, the Customer shall remain liable to pay the full invoiced price of all other Goods or Services supplied

8 - Consents

- 8.1 The Customer shall obtain all and any necessary consents required to fulfil the Contract including (without prejudice to the foregoing) any governmental consents.
- 8.2 If the Customer is refused any such consents the Customer shall notify the Company immediately and indemnify the Company for any reasonable costs incurred in modifying or cancelling any of the details of the order.

9 - Limitations of Liability

- 9.1 Except where expressly contained in this Contract, all warranties, conditions, undertakings and representations, express or implied, statutory or otherwise, are excluded and the Company has no obligation, duty or liability in Contract, tort (including negligence or breach of statutory duty) or otherwise.
- 9.2 In any event, the Company's liability arising for any reason in connection with this contract shall be limited to the original invoice value of goods.
- 9.3 In no circumstances will the Company be liable in Contract, tort (including negligence or breach of statutory duty) or otherwise for loss (whether direct or indirect) or profits, business or anticipated savings, or for any indirect or consequential loss or damage whatever.
- 9.4 The Company does not exclude or restrict liability for death or personal injury resulting from its own negligence.
- 9.5 Each provision of this Condition is to be constructed as a separate limitation applying and surviving even if for any reason one or other of the said provisions is held unreasonable in any circumstances and shall remain in force notwithstanding termination of this Contract.

10 - Guarantee

- 10.1 Subject to clauses 10.2 and 10.3 below and, provided that the Company is satisfied that any defect or failure of the Goods has arisen solely from the use of defective materials or workmanship, the Company guarantees (as its option) either to replace the Goods or to repair defects or failures which appear within one year of delivery of the goods. Further guarantees which vary from periods of 1 to 25 years are stated at the time of our written quotation.
- 10.2 The Company's liability under clause 10.1 above is conditional upon:
 - (a) notice in writing being given to the Company immediately the defect or failure arises;
 - (b) the Goods having been maintained and serviced in a proper and satisfactory manner;
 - (c) the Goods having been used reasonably for the purposes for which they were supplied and not having been damaged by vandalism or otherwise or modified in any way; and
 - (d) the Customer having complied in all respects with all terms and conditions of the Contract.
- 10.3 If alterations to the Goods are made without prior consent of the Company, the Company shall be under no liability for failure of the Goods. No allowance shall be made for any alterations so made.
- 10.4 All defective parts replaced shall become the property of the Company.
- 10.5 In the case of Goods or parts of Goods not of the Company's manufacture, this guarantee is limited to such warranty or guarantee as is given by the makers thereof.

11 - Design

- 11.1 We reserve the right to modify or to change the design of any of our products illustrated in our marketing material in the interest of progress.

12 - Copyright and indemnity

- 12.1 All drawings or tracings prepared by Playdale Playgrounds Ltd are the property of the Company by copyright. Such drawings or tracings must not be published or disclosed without our written permission and are to be regarded as confidential.

13 - Cancellation

- 13.1 The Company shall have the right forthwith to terminate this contract and to claim for any resulting losses or expenses if:
 - a) The Customer fails to pay any undisputed amount due under this contract on the due date for payment and remains in default not less than 14 days after being notified in writing to make such payment.
 - b) The Customer commits a breach of this contract and fails to remedy the breach within reasonable time of a written notice to do so.
- 13.2 For all special manufactured or purchased items we reserve the right to charge full value of the cancelled equipment order.
- 13.3 A restocking fee of 25% of the product value and freight charge will be levied for all cancelled orders.
- 13.4 Orders shall not be cancelled or amended unless so agreed in writing and upon terms which provide indemnity against any loss incurred by the Company as a result of cancellation.

14- Return of Goods

- 14.1 Prior authorisation for any returns is needed before the Company will accept. The Company reserves the right to charge a restocking fee of 25% of the goods. Carriage cost for any returned products must be borne by the Customer.

15- Force Majeure

15.1 The Company shall have no liability whatsoever for any failure to perform, or for any delay in the performance of any its obligations under the Contract arising wholly or in part by reason of any factor beyond its direct control.

16- Notices

16.1 Any notice required to be given in writing under the Contract shall be given either by facsimile Transmission or by first class post and shall be deemed to have been delivered (in the absence of Evidence to the Contrary) within 48 hours of posting.

17- Governing Law

17.1 This Contract shall be governed by the law of the country in which the Contract is made.